

MATERIAL SAFETY DATA SHEET

IDENTIFICATION

PRODUCT NAME: Deep Blue Polishing Compound
STOCK NUMBER: BB-100
CHEMICAL NAME:
CHEMICAL FAMILY: Liquid Sandpaper
MANUFACTURER: Bike Brite, Inc.
7177 Industrial Park Blvd.
Mentor, OH 44060
(800) 927-4833

PIN DS 400027

CHEMICAL/ PHYSICAL PROPERTIES

☒ LIQUID ☐ SOLID ☐ POWDER ☐ AEROSOL ☐ OTHER _____

BOILING POINT: 212°F
FREEZING POINT: 32°F
SPECIFIC GRAVITY OR DENSITY: 8.785 lbs/gal
SOLUBILITY IN WATER: Partial
VAPOR PRESSURE @ 20 degrees C: unknown
VAPOR DENSITY: unknown
EVAPORATION RATE: unknown
VISCOSITY: >100,000 cps
COLOR: White
ODOR: None
Ph LEVEL: 7.4
OTHER PHYSICAL DATA: Viscous gel in consistency

COMMENTS:

HAZARDS IDENTIFICATION

INGREDIENTS: Acrylic Amide Co. Polymer
C.A.S. NUMBER: 25608 12-2
PERCENT: 1.6%
T.L.V.: Unknown

LISTED AS CARCINOGEN BY: ☐ N.T.P. ☐ I.A.R.C. ☐ O.S.H.A.

STABILITY & REACTIVITY

STABILITY: Yes
POLYMERIZATION: N/A
HAZARDOUS POLYMERIZATION: Will not occur
DECOMPOSITION: None
INCOMPATIBILITY: None
CONDITIONS TO AVOID:

POTENTIAL HEALTH EFFECTS

EYES: Mild irritation
SKIN: None
INGESTION: None
INHALATION: None

FIRST AID MEASURES

EYES: Wash with water
SKIN: Wash with soap and water
INGESTION: None
INHALATION: None

EXPOSURE PROTECTION

RESPIRATORY: None
VENTILATION: None
HAND/SKIN: None
EYE: None
SPECIAL EQUIPMENT: None

FIRE & EXPLOSION DATA

FLASH POINT:
FLAMMABLE LIMITS (IN AIR % BY VOL.)
UPPER:
LOWER:
EXTINGUISHING MEDIA:
UNUSUAL HAZARDS:
SPECIAL SAFETY PROCEDURES:

ACCIDENTAL RELEASE MEASURES

SMALL SPILL: Wash with water into drain
LARGE SPILL: Wash with water into drain

TOXICOLOGICAL INFORMATION

T.S.C.A. STATUS: None
COMMENTS:

ECOLOGICAL INFORMATION

ENVIRONMENTAL: None
ECOTOXICOLOGICAL: None

FEDERAL E.P.A. – COMPONENTS PRESENT IN THIS PRODUCT AT A LEVEL WHICH COULD REQUIRE REPORTING ARE:

INGREDIENTS: Acrylic Amide Co. Polymer
C.A.S. NUMBER: 25608 12-2
UPPER BOUND CONCENTRATIONPERCENT: 1.6%

HANDLING / STORAGE / DISPOSAL

HANDLING: None

STORAGE: None

WASTE DISPOSAL: Wash with water

GENERAL PROCEDURES:

TRANSPORTATION INFORMATION

D.O.T. HAZARD CLASS: N/A

SHIPPING CONTAINERS: 4 ounce bottles with disc and pad / 4 cartons per case

INSTRUCTIONS:

REGULATORY INFORMATION

UNITED STATES: California Prop. 65-California SCAQMD Rule 443.1 VOCs (volatile organic components = substances with vapor pressure of ≥ 0.05 mm Hg @ 104°C – 219.2°F .)
Pennsylvania R-T-K hazardous substance list. Substances on the list must be identified when present in products.

SARA TITLE III:

SARA TITLE III 313:

CERCLA: Component-Acrylic Amide Co Polymer, CAS number 25608-12-2, Upper bound concentration percent 1.6%

FOREIGN

OTHER INFORMATION

N.F.P.A. CODES: Health=1, Fire=0, Reactivity=1, Special=none

H.M.I.S. CODES: Health=1, Fire=0, Reactivity=1, Special=none

DISCLAIMER OF LIABILITY

To the best of our knowledge, the information contained herein is accurate and the information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness.

The conditions of methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage, or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

No responsibility is taken for determining what measures are required for individual personal protection in any specific application. The information provided herein should be used with discretion. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.