



10969 WHEATLANDS AVE, #A, SANTEE, CA 92071  
CA (619) 449-5000

PU 42932  
42901


# MATERIAL SAFETY DATA SHEET

Product Code: MTL-XL

Page 1

## HAZARD RATING

N 4 - Extreme  
F 3 - High  
P 2 - Moderate  
A 1 - Slight  
0 - Insignificant



## DIVISION AND LOCATION---SECTION I

### MAXIMA PRODUCTS

10969 Wheatland Ave., Suite A  
Santee, CA. 92071

Emergency Telephone No: (619) 449-5000

Transportation Emergency: Chem Trec 1 (800) 424-9300 (U.S. and Canada)

## CHEMICAL AND PHYSICAL PROPERTIES---SECTION II

### Chemical Name:

Petroleum hydrocarbon

### Formula:

not applicable

### Hazardous Decomposition Products:

Carbon monoxide and carbon dioxide from burning  
Oxides of nitrogen. Oxides of sulfur

### Incompatibility (Keep away from):

Strong oxidizers such as hydrogen peroxide, bromine, and chromic acid.

### Toxic and Hazardous Ingredients:

None

Form: Oily liquid

Odor: no objectionable odor

Appearance:

Color: blue/green

Specific Gravity (water=1): .89 to .99

Boiling Point: greater than 288°C (550°F)

Melting Point: not applicable

Solubility in Water (by weight %): 0

Volatile (by weight %): less than .01 at 25 C

Evaporation Rate: less than .01

Vapor Pressure (mm Hg at 20°C): less than 1

Vapor Density (air=1): less than .1

pH (as is): not applicable

Stability: Stable under normal conditions

Viscosity SUS at 100°F: greater than or = to 100

## FIRE AND EXPLOSION DATA---SECTION III

### Special Fire Fighting Procedures:

Avoid use of water

### Unusual Fire and Explosion Hazards:

Dense smoke. Fire fighters should wear self-contained breathing apparatus.



10969 WHEATLANDS AVE, #A, SANTEE, CA 92071  
CA (619) 449-5000

# MATERIAL SAFETY DATA SHEET

Product Code: MTL-XL

Page 2

(Section III Continued)

Flashpoint: (Method Used) Cleveland open cup greater than 149°C (300°F)

Flammable limits %: no data available

Extinguishing agents:

Dry chemical, waterspray, CO<sub>2</sub> or foam

Water may cause frothing. Water may be ineffective.

Exposed material may be cooled with water.

## HEALTH HAZARD DATA---SECTION IV

Permissible concentrations (air): If used in applications where a mist may be generated, observe a TWZ/PEL of 5 mg/m<sup>3</sup> for mineral oil mist (OSHA and NIOSH).

Chronic effects of overexposure:

Prolonged skin contact may cause dermatitis (skin irritation).

Acute toxicological properties:

No data available.

Emergency First Aid procedures:

Eyes: Immediately flush with large quantities of water for at least 15 minutes.  
Call a physician.

Skin Contact: Wash with soap and water.

Inhalation: Remove to fresh air.

If Swallowed: contact a physician immediately.

## SPECIAL PROTECTION INFORMATION---SECTION V

Ventilation Type Required (Local, mechanical, special):

Local if necessary to maintain allowable PEL or TLV

Respiratory Protection (Specify type):

Use NIOSH/OSHA approved respirator with organic vapor cartridge if vapor concentration exceeds permissible exposure limit

Protective Clothing: oil resistant

Eye Protection: Chemical safety goggles and, if used hot, full face shield.

Other Protective Equipment:

none

## HANDLING OF SPILLS OR LEAKS---SECTION VI

Procedures for Clean-Up:

In case of spill or leak absorb on an inert material such as earth, sand or vermiculite; sweep up and dispose of in accordance with governmental agency regulations. If spilled into water, remove bulk of the product by skimming.

Waste Disposal:

Dispose of in accordance with governmental agency regulations.

(Continued Next Page)



10969 WHEATLANDS AVE. #A, SANTEE, CA 92071  
CA (619) 449-5000

MATERIAL SAFETY DATA SHEET

Product Code: MTL-XL

Page 3

SPECIAL PRECAUTIONS---SECTION VII

Precautions to be taken in handling and storage: Avoid prolonged or repeated contact with skin or breathing of vapors, mists or fumes. Launder contaminated clothing before reuse. Keep containers tightly closed. Avoid strong oxidizers. Eliminate all source of ignition such as flames or sparks.

TRANSPORTATION DATA---SECTION VIII

D.O.T.: Not regulated.

Reportable Quantity: Not applicable

Freight Classification: Petroleum Oil, n.o.i.b.n.

Special Transportation Notes:

None.

COMMENTS---SECTION IX

Observe good industrial hygiene and safety precautions when handling this product.

Signature: RICHARD D. LECHIE

Title: President

Date:

Revision Date: 07-24-85

Supercedes: 12-14-82

Sent To:

Date: \_\_\_\_\_

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.