

Oil of Switzerland	ccording to 1907/2006/EC, Articl	le 31
Printing date 01.09.2015	Version number 1	Revision: 01.09.2015
SECTION 1: Ide company/undertal	ntification of the substand king	ce/mixture and of the
· 1.1 Product identifier		
· Trade name: <u>AIR FILT</u>	ER OIL 206	
• 1.2 Relevant identified No further relevant info	d uses of the substance or mixture a rmation available.	and uses advised against
• Application of the sub Air filter oil Only for proper handling		
 1.3 Details of the support of the supp	olier of the safety data sheet r:	
BUCHER AG LANGEN MOTOREX–Schmierted Bern–Zürich–Strasse 3 CH–4901 Langenthal Telefon +41 (0)62 919	chnik 1	
 1.4 Emergency teleph 	on Centre, CH-8028 Zurich,	
SECTION 2: Hazar	rds identification	
	he substance or mixture ing to Regulation (EC) No 1272/2008	3
Flam. Liq. 2 H22	5 Highly flammable liquid and vapour.	
GHS08 health	ו hazard	
Asp. Tox. 1 H30	4 May be fatal if swallowed and enter	s airways.
GHS09 enviro	onment	

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

GHS07

STOT SE 3

H336 May cause drowsiness or dizziness.

· 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

(Contd. on page 2) - GB

according to 1907/2006/EC, Article 31

Revision: 01.09.2015

Printing date 01.09.2015

Version number 1

Trade name: AIR FILTER OIL 206

Hazard pictog	rams (Contd. of page
GHS02 GHS	
Signal word Da	
-	-
	n ining components of labelling: C7-C9, n-alkanes, isoalkanes, cyclics
Hazard statem	
	mmable liquid and vapour.
	se drowsiness or dizziness.
	atal if swallowed and enters airways.
	aquatic life with long lasting effects.
Precautionary	
P210	Keep away from heat, hot surfaces, sparks, open flames and oth
	ignition sources. No smoking.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection
P240	Ground/bond container and receiving equipment.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P301+P3	353 IF ON SKIN (or hair): Take off immediately all contaminated clothin Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable
F 304TF 340	breathing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/nation
2.3 Other haza	international regulations.
	ras T and vPvB assessment
PBT: Not applie	

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components:

 CAS: 64745-49-0
 Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics
 25-50%

 EC number: 920-750-0
 Flam. Liq. 2, H225; Asp. Tox. 1, H304; Aquatic Chronic 2, H411; STOT SE 3, H336
 25-50%

· Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Remove contaminated clothing immediately.
- · After eye contact: Rinse opened eye for several minutes under running water.

(Contd. on page 3)

according to 1907/2006/EC, Article 31 Version number 1

Revision: 01.09.2015

Trade name: AIR FILTER OIL 206

· After swallowing:

Printing date 01.09.2015

(Contd. of page 2)

Consult a physician who will decide on need and method of emptying the stomach. Do not induce vomitting. Do not take in resorption stimulating agents.

- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information

Use water spray to cool fire exposed containers and fire affected zone until fire is out and danger of reignition has passed.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- · 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Avoid dehydration; when rewetted the resin volume may increase and cause rupture of the packaging as well as of equipment.

 Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

7.2 Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.

(Contd. on page 4)

according to 1907/2006/EC, Article 31 Version number 1

Revision: 01.09.2015

(Contd. of page 3)

Trade name: AIR FILTER OIL 206

Store in cool, dry conditions in well sealed receptacles.

· Storage class: 3

Printing date 01.09.2015

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:

Wash hands before breaks and at the end of work.

- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Fluid

Blue

Solvent-like

Not determined.

Not determined.

• Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- General Information
- Appearance: Form:

Colour: · Odour:

· Odour threshold:

· pH-value:

· Change in condition

Melting point/Melting range: Undetermined.

(Contd. on page 5)

_____ GB

Version number 1

according to 1907/2006/EC, Article 31

Revision: 01.09.2015

Trade name: AIR FILTER OIL 206

Printing date 01.09.2015

	(Contd. of page 4	
Boiling point/Boiling range:	82 °C (DIN EN ISO 3405)	
Flash point:	12 °C	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	0 °C (DIN 51794)	
Decomposition temperature:	Not determined.	
Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation o explosive air/vapour mixtures are possible.	
· Explosion limits:		
Lower:	0.0 Vol %	
Upper:	6.8 Vol %	
· Vapour pressure at 20 °C:	30 hPa	
· Density at 20 °C:	0.81 g/cm³ (ASTM D 4052)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	15.5 mm²/s @ 40 °C (DIN 51562-1)	
VOC (EC)	50.05 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- Can be distilled without decomposing at normal pressure.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid With strong oxidisers.
- · 10.5 Incompatible materials: No further relevant information available.
- **10.6 Hazardous decomposition products:** None known. Complete combustion will give carbon dioxide and water.
- Additional information: The product is highly flammable.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity
- · LD/LC50 values relevant for classification:
 - Oral LD50 >2000 mg/kg (rat)
- Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

(Contd. on page 6)

according to 1907/2006/EC, Article 31 Version number 1

Revision: 01.09.2015

(Contd. of page 5)

Trade name: AIR FILTER OIL 206

Printing date 01.09.2015

· Serious eye damage/irritation

Based on available data, the classification criteria are not met.

- · Respiratory or skin sensitisation
- Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause drowsiness or dizziness.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard

May be fatal if swallowed and enters airways.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- Ecotoxical effects:
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-classification according VwVwS, 17.05.1999): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

16 01 99 wastes not otherwise specified 16.2.2001 L 47/23 Official Journal of the European Communities EN

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Discharged containers can contain flammable or explosive vapours.

(Contd. on page 7)

Safety data sheet according to 1907/2006/EC, Article 31

according to 1907/2006/EC, Article 3
Version number 1

Revision: 01.09.2015

Trade name: AIR FILTER OIL 206

Printing date 01.09.2015

	(Contd. of pag
SECTION 14: Transport informa	ation
14.1 UN-Number ADR,ADN, IMDG, IATA	UN3295
· 14.2 UN proper shipping name · ADR/ADN	3295 HYDROCARBONS, LIQUID, N.O. ENVIRONMENTALLY HAZARDOUS
· IMDG	HYDROCARBONS, LIQUID, N.O. (Naphtha (petroleum), hydrotreated ligh MARINE POLLUTANT
	HYDROCARBONS, LIQUID, N.O.S.
• 14.3 Transport hazard class(es)	
ADR/ADN	
· Class · Label	3 (F1) Flammable liquids. 3
·IMDG	
· Class · Label	3 Flammable liquids. 3
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR,ADN, IMDG, IATA	11
· 14.5 Environmental hazards:	Product contains environmentally hazardo substances: Naphtha (petroleum hydrotreated light
· Marine pollutant:	Yes Symbol (fish and tree)
· Special marking (ADR/ADN):	Symbol (fish and tree)
 14.6 Special precautions for user Danger code (Kemler): EMS Number: 	Warning: Flammable liquids. 33 F-E,S-D
 14.7 Transport in bulk according to A II of Marpol and the IBC Code 	nnex Not applicable.
-	(Contd. on page

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.09.2015

Version number 1

Revision: 01.09.2015

Trade name: AIR FILTER OIL 206

	(Contd. of page 7
· Transport/Additional information:	
· ADR/ADN	
· Limited quantities (LQ)	1L
Excepted quantities (ÉQ)	Code: E2
	Maximum net quantity per inner packaging
	30 ml
	Maximum net quantity per outer packaging
	500 ml
Transport category	2
Tunnel restriction code	D/E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging
	30 ml
	Maximum net quantity per outer packaging
	500 ml
UN "Model Regulation":	UN 3295 HYDROCARBONS, LIQUID
	N.O.S., 3, II, (D/E), ENVIRONMENTALL
	HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways.
H336 May cause drowsiness or dizziness.
H411 Toxic to aquatic life with long lasting effects.

- Department issuing MSDS: Abteilung Produktsicherheit
 Abbreviations and acronyms:
 Flam. Liq. 2: Flammable liquids, Hazard Category 2
 STOT SE 3: Specific target organ toxicity Single exposure, Hazard Category 3
 Asp. Tox. 1: Aspiration hazard, Hazard Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment Chronic Hazard, Category 2