BRAKE FLUID DOT 5.1 (US Version)



Date of issue / Reference 14.04.2003 os Replaces version of 26.06.2002 pd

Date of printing 24.04.2003 **Sheet No. 1458** Page 1 of 5

Company BUCHER AG LANGENTHAL, MOTOREX-Schmiertechnik, CH-4901

Langenthal

1 Commercial product name and supplier

1.1 Commercial product name / BRAKE FLUID DOT 5.1 (US Version)

Designation

1.2 Application / Use Brake fluid

1.3 Producer BUCHER AG LANGENTHAL, MOTOREX-Schmiertechnik, CH-4901

Langenthal

Telefon +41 (0)62 919 75 75, Fax +41 (0)62 919 75 95

1.4 Supplier BUCHER AG MOTOREX, Inc., dba: MOTOREX USA, 1932 Eastman

Avenue, Suite 107, Ventura, CA 93003-5766

Tel. 805-658-0900 Fax: 805-658-0910

1.5 TOX emergency number Europe: +41 (0)1 251 51 51 (Center of Toxicology Information, CH-8028

Zurich)

North America:

1.6 Product No.

2 Composition

2.1 Chemical characterization Polyglycols

Glycol ether borate

Inhibitors Glycol ether

2.2 Hazardous components Components contributing to hazard:

CAS No. 143-22-6 <20 % Triethylene glykol monobutylether

Xi: Irritant. R36: Irritating to eyes.

CAS No. 112-59-4 <10 % Diethylene glykol monohexylether

Xn: Harmful. R21: Harmful in contact with skin. R36/38: Irritating to eyes and

skin.

CAS No. 111-46-6 1-5 % Diethylene glycol

Xn: Harmful. R22: Harmful if swallowed.

CAS No. 111-77-3 1-5 % Diethylene glykol monomethylether

Xn: Harmful. R63: Possible risk of harm to the unborn child.

Aliphatic amine

Xi: Irritant. R36: Irritating to eyes.

2.3 Further information

3 Hazards identification No known hazard.

8.3.3 Eye protection

BRAKE FLUID DOT 5.1 (US Version)



LU	Salety Data Sileet		, (1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	MOTOREX"	
Date of issue / Reference Replaces version of Date of printing		14.04.2003 26.06.2002	os pd	Oil of Switzerland	
		24.04.2003	Sheet No. 1458	Page 2 of 5	
4	First aid measures				
4.1	Eye contact		Irrigate immediately with water for at least 5 minutes. Consult a physician if irritation develops.		
4.2	Skin contact		Immediately wash skin with soap and plenty of water. Remove contaminated clothing immediately.		
4.3	Ingestion		Rinse mouth and drink large amount of water. Consult a physician immediately.		
4.4	Inhalation	Remove to f	resh air. Consult a physician.		
4.5	Further information				
5	Fire-fighting measures				
5.1	Suitable extinguishing media	Water fog, carbon dioxide, foam, dry chemicals.			
5.2	Extinguishing media to avoid	No restrictions.			
5.3	Further information	Wear self-contained breathing apparatus.			
6	Accidental release measures	Spills should be contained by, and covered with suitable absorbent material and removed for disposal. Do not discharge into natural waters.			
7	Handling and storage				
7.1	Handling	Good genera	Good general ventilation should be sufficient for most conditions.		
7.2	Industrial hygiene	No specific 1	requirements.		
7.3	Storage	Store in cool, dry well ventilated area away from sources of ignition and heat. Keep container tightly closed; product is hygroscopic.			
7.4	Place of storage	1	<i>2 3 7 1</i>	1	
7.5	Fire- and explosion-protection	None require	ed.		
8	Exposure controls / Personal protec	tion			
8.1	Technical measures	Good genera	l ventilation should be sufficient.		
8.2	Control of threshold limits	None establi	shed for the mixture.		
8.3	Personal protective equipment				
8.3.1	Respiratory protection	Good genera	l ventilation should be sufficient fo	or most conditions.	
8.3.2	Hand protection	Use impervi	ous gloves at all times.		
022	Eve protection	Han anfatra	lesses. Where contact with the liqui	id is likaly, ahamias!	

Use safety glasses. Where contact with the liquid is likely, chemical

goggles are recommended

BRAKE FLUID DOT 5.1 (US Version)



14.04.2003 Date of issue / Reference os Replaces version of 26.06.2002 pd

Date of printing 24.04.2003 Sheet No. 1458 Page 3 of 5

834	Other

8.3.4	8.3.4 Other					
9	Physical and chemical properties					
9.1	Appearance	liquid				
9.2	Colour	amber				
9.3	Odour	characteristic				
9.4	Change of physical state		Test method:			
	Boiling point	>260 °C (1013 mbar)				
	Solidification point	<-50 °C				
9.5	Density	1.06 g/cm ³ (20°C)	ISO 3675			
9.6	Vapour pressure	<1 mbar (20°C)				
9.7	Viscosity	12 - 16 mm ² /s (20°C)	ISO 3104			
9.8	Solubility in water	miscible in all proportions				
9.9	рН	7-9				
9.10	Flash point	>100 °C (1013 mbar)	ISO 2592			
9.11	Ignition temperature	>200 °C (1013 mbar)	DIN 51794			
9.12	Explosion limits	Lower: Upper: not explosive				
9.13	Further information					

BRAKE FLUID DOT 5.1 (US Version)



Date of issue / Reference 14.04.2003 os Replaces version of 26.06.2002 pd 24.04.2003 Sheet No. 1458 Date of printing Page 4 of 5 10 Stability and reactivity 10.1 Thermal decomposition Stable under recommended storage conditions. 10.2 Hazardous decomposition products None under normal conditions of storage and use. 10.3 Hazardous reactions No hazardous reactions have been observed. 10.4 Further information The product is stable but hygroscopic. 11 **Toxicological information** 11.1 Acute toxicity The oral LD50 for rats is >2000 mg/kg. 11.2 Subacute / Chronic toxicity 11.3 Further information The sweet taste can seduce children to drink large quantities; hence keep out of reach of children. 12 **Ecological information** Upon correct discharge of low concentrations into adapted biological sewage works, disturbance of the degrading activity of the activate sludge is not to be expected. German 'Wassergefaehrdungs Klasse (WGK)': 1 13 **Disposal considerations** 13.1 EU waste key 16 01 13 Brake fluids 14 **Transport information** Transport at land RID 14.1 **ADR UN Number** Kemler Number Packing Group Proper shipping name **IMDG** 14.2 Transport at sea **ADNR UN Number**

EMS

Packing Group
Proper shipping name

MFAG

BRAKE FLUID DOT 5.1 (US Version)



Date of	of issue / Reference	14.04.2003	os	Oil of Switzerland	
_	ces version of	26.06.2002 24.04.2003	pd Sheet No. 1458	Page 5 of 5	
Date of printing 14.3 Air transport		24.04.2003 Sheet No. 1458 Page 5 of 5 ICAO / IATA-DGR			
		UN Number			
		Packing Group Proper shipping name			
	Passenger airplane	Packing Instr	ructions		
	Cargo Airplane	max. Packing Instr	ructions		
		max.			
14.4	Further information	Product is no	t classified for any mode o	f transportation.	
15	Regulatory information	of the Comm 67/548/EEC).	ission of the European Com ration of hazardous compo	tion according to the criteria munities (Council Directive nents are below the	
15.1	UN number				
15.2	National regulations				
15.3	EU number				
15.4	Hazard symbols				
15.5	Hazard designation				
15.6	Risk phrases				
15.7	Safety phrases				
15.8	MAK value				
15.9	BVD classification (CH)	F41Y3			
15.10	VbF (D)				
15.11	Further information				
16	Other information	No other info	ormation.		

The above mentioned data correspond to our present state of knowledge and experience. The safety data sheet serves as description of the products in regard to necessary safety measures. The indications do not have the meaning of guarantees on properties.

This safety data sheet has been generated with the safety database 'ChemManager',

© ASSiST Applied Software Solutions in Science and Technology AG, Weiherweg 3, CH-4104 Oberwil, Switzerland

91/155/EEC