


MATERIAL SAFETY DATA SHEET

Product Code: Super M  
HAZARD RATING

- |   |   |   |               |
|---|---|---|---------------|
| N | 4 | - | Extreme       |
| F | 3 | - | High          |
| P | 2 | - | Moderate      |
| A | 1 | - | Slight        |
| 0 | - | - | Insignificant |



DIVISION AND LOCATION---SECTION I

MAXIMA PRODUCTS  
 10969 Wheatland Ave., Suite A  
 Santee, CA. 92071  
 Emergency Telephone No: (619) 449-5000  
 Transportation Emergency: Chem Trec 1 (800) 424-9300 (U.S. and Canada)

CHEMICAL AND PHYSICAL PROPERTIES---SECTION II

Chemical Name:  
 Petroleum distillate  
 Formula:

not applicable  
 Hazardous Decomposition Products:

Incompatibility (Keep away from):  
 oxidizing agents

Toxic and Hazardous Ingredients:

Form: liquid  
 Odor: slight  
 Appearance: liquid  
 Color: blue/green  
 Specific Gravity (water=1): .90  
 Boiling Point: 480°F  
 Melting Point:

Solubility in Water (by weight %): 0  
 Volatile (by weight %): less than .03 @ 25 C  
 Evaporation Rate: less than .02  
 Vapor Pressure (mm Hg at 20°C): less than 1  
 Vapor Density (air=1): less than .1  
 Stability: Stable under normal conditions  
 Viscosity SUS at 100°F:

FIRE AND EXPLOSION DATA---SECTION III

Special Fire Fighting Procedures:

Avoid use of water. Do not enter fire without protective self-contained breathing

Unusual Fire and Explosion Hazards:

Dense smoke

10969 WHEATLANDS AVE, #A, SANTEE, CA 92071

CA (619) 449-5000

MATERIAL SAFETY DATA SHEET

Product Code: Super M

Page 2

(Section III Continued)

Flashpoint: (Method Used) greater than 149°C (300°F)  
Flammable limits %: not available  
Extinguishing agents: Water, dry chemical, foam

HEALTH HAZARD DATA---SECTION IV

Permissible concentrations (air):  
no data available

Chronic effects of overexposure:  
Not considered hazardous to health in low to moderate accidental dosages.  
Acute toxicological properties:  
none

Emergency First Aid procedures:  
Eyes: Flush with water for 15 minutes.

Skin Contact: Wash with soap and water

Inhalation: Remove to fresh air  
If Swallowed: DO NOT induce vomiting. Call a physician.

SPECIAL PROTECTION INFORMATION---SECTION V

Ventilation Type Required (local, mechanical, special):

Respiratory Protection (Specify type):

NIOSH/OSHA approved respirator.

Protective Gloves: Neoprene or nitrile rubber gloves.

Eye Protection: chemical resistant goggles

Other Protective Equipment:

none

HANDLING OF SPILLS OR LEAKS---SECTION VI

Procedures for Clean-Up:

Absorb with clay, diatomaceous earth, or other suitable material. Do not  
us water.

Waste Disposal:

Bury in disposable containers in approved dumping area in accordance with  
governmental regulations.

(Continued Next Page)

10969 WHEATLANDS AVE, #A, SANTEE, CA 92071  
CA (619) 449-5000



**MAXIMA**  
Heavy Lubricants

MATERIAL SAFETY DATA SHEET

Product Code: Super M

Page 3

**SPECIAL PRECAUTIONS---SECTION VII**

Precautions to be taken in handling and storage: Store at ambient temperatures in tightly closed containers. Keep away from sparks or flames  
Maximum Storage Temperature:

**TRANSPORTATION DATA---SECTION VIII**

D.O.T.: Not regulated  
Reportable Quantity: Not applicable  
Freight Classification: Petroleum oil  
Special Transportation Notes:

**COMMENTS---SECTION IX**

Signature: RICHARD D. LECHEN  
Title: President

Date:  
Revision Date: 06-07-88  
Supersedes:

Sent To:

Date:

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, express or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.

## MAXIMA RACING OILS

004

## MATERIAL SAFETY DATA SHEET

(Essentially Similar To Form OSHA-201 Complies with 29CFR 1910.1200)

## SECTION 1

DATE 1-1-01

SUPERCEDES

CODE NUMBER: 20916/20901/20964/20505/20055

CHEMICAL FAMILY: Petroleum hydrocarbon

C.A.S. NO. mixture  
Carcinogenic ingredients/OSHA/NTP/IARC: NONE

TCSA INFORMATION: Components of this product are listed.

## SECTION II- HAZARDOUS INGREDIENTS

| COMPONENTS                   |         |     |       |
|------------------------------|---------|-----|-------|
| C.A.S. NOS.                  | TLV/PEL | PPM | mg/m3 |
| 64742650                     | 5*      |     |       |
| 64741964                     | 5*      |     |       |
| 64741961                     | 5*      |     |       |
| 9003296                      | none    |     |       |
| 68424317                     | none    |     |       |
| Petroleum base stocks and/or |         |     |       |
| Petroleum base stock and/or  |         |     |       |
| Petroleum base stock and/or  |         |     |       |
| Polybutene                   |         |     |       |
| Ester                        |         |     |       |

## SECTION III- FIRE AND EXPLOSION HAZARD DATA

HAZARDOUS THERMAL DECOMPOSITION

FLAMMABLE LIMITS:

n/a

FLASHPOINT: ASTM D92  
>200°C (392°F)

DOT INFORMATION:

oil, N.O.S.

EXTINGUISHING MEDIA: Carbon Dioxide, Dry chemical, Foam, water fog.

Carbon Monoxide &amp; asphyxiants

UNUSUAL FIRE AND EXPLOSION HAZARDS: Slightly combustible. When heated above flash point will release flammable vapors which can burn in the open or explode confined if ignited.

SPECIAL FIRE FIGHTING PROCEDURES: Do not enter any enclosed or confined area without proper protective equipment &amp; self contained breathing apparatus.

## SECTION IV- PHYSICAL DATA

BOILING RANGE: &gt;300°C

SOLUBILITY: Neg.

PH: n/d

VAPOR PRESSURE: 0.01 mmHg APPEARANCE AND ODOR: oily liquid, petroleum odor @ 20°C

VAPOR DENSITY

EVAPORATION RATE

SPECIFIC GRAVITY

WEIGHT PER GALLON

% VOLATILE BY VOLUME

Heavier THAN AIR

Less THAN ETHER

0.88

7.4

n/l

## SECTION V- REACTIVITY DATA

INCOMPATIBILITY

&lt;MATERIAL TO AVOID&gt;: Strong oxidizers

STABILITY: stable

CONDITION TO AVOID: Do not heat above flash point.

HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon Monoxide &amp; asphyxiants

HAZARDOUS POLYMERIZATION

none

occupational exposure limit:  
TLV = 5mg/m as oil mist.

SECTION VI-HEALTH HAZARD DATA

ADVERSE AFFECTS FIRST AID PROCEDURES NFPA

| G                                                                                    | N                                            | I                                                                                                | H                                    | EC                                              | ASC                                             | CKO                                             | CSC                                             | RIN                                                             | CIN                                                                                             | E                                                                                                              | R | U | S | O | P | E | F | O | T | U | R | A |
|--------------------------------------------------------------------------------------|----------------------------------------------|--------------------------------------------------------------------------------------------------|--------------------------------------|-------------------------------------------------|-------------------------------------------------|-------------------------------------------------|-------------------------------------------------|-----------------------------------------------------------------|-------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|
|                                                                                      |                                              |                                                                                                  |                                      |                                                 |                                                 |                                                 |                                                 |                                                                 |                                                                                                 |                                                                                                                |   |   |   |   |   |   |   |   |   |   |   |   |
| Not normally expected to cause any ill effects except in very sensitive individuals. | Do not induce vomiting. Consult a physician. | Remove from contaminated area. Apply artificial respiration. If unconscious consult a physician. | Flush with copious amounts of water. | Not normally expected to cause any ill effects. | Not normally expected to cause any ill effects. | Not normally expected to cause any ill effects. | Not normally expected to cause any ill effects. | Wash with soap & water. Consult physician if irritation occurs. | Wear protective clothing to avoid skin contact. Consult physician if irritation should develop. | Prolonged or repeated contact may produce mild irritation. Personnel with skin disorders should avoid contact. |   |   |   |   |   |   |   |   |   |   |   |   |

<DOT> SECTION VII-SPILL OR LEAK PROCEDURES <EPA>

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Stop flow. Wipe or mop up or absorb with inert material. Store in appropriate container for disposal.

WASTE DISPOSAL METHOD: In accordance with local, state & federal regulations.

TRANSPORTATION INFORMATION: Consult 46CFR parts 1-300 and refer to section III of this MSDS for additional information.

SECTION VIII-SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION: None normally required.

PROTECTIVE GLOVES: Recommended.

OTHER PROTECTIVE EQUIPMENT: Eye protection recommended.

VENTILATION: Sufficient to maintain atmosphere below TLV limit.

SECTION IX-SPECIAL PRECAUTIONS

PRECAUTION TO BE TAKEN WHEN HANDLING OR STORING: Avoid storage near open flame. Avoid spills as floor becomes very slippery.


PERSONAL HYGIENE: Wash with soap & water.

OTHER PRECAUTIONS: Wash or shower if general contact occurs. Remove oil-soaked clothing & launder before reuse.

APPROVED BY: R. REED  
C.O.O.

DATE: 1-1-01

PERSONAL PROTECTION (NFPA)



FIRE

HEALTH

REACTIVITY

20916/20901/20964/20505/20055

Super M  
PRODUCT

A Division of Southwest Lubricants

