

Printing date 03/22/2016

Reviewed on 03/22/2016

1 Identification

- · Product identifier
- · Trade name: CROSS POWER 2T
- · Application of the substance / the mixture

Engine oil

Only for proper handling.

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

BUCHER AG LANGENTHAL MOTOREX-Schmiertechnik Bern–Zürich–Strasse 31 CH-4901_Langenthal_

Telefon_+41_(0)62_919_75_75

Lube-Tech

Lubrication Technologies, Inc. 900 Mendelssohn Avenue North US-55427 Golden Valley, Minnesota

Phone: 001 763 417 1357

- · Information department: msds@motorex.com
- · Emergency telephone number:

Toxicological Information Centre

CH-8028 Zurich info@toxi.ch

T. +41 (0)44 251 51 51

USA + Kanada: 1 800 424 9300 (Chemtrec Chemical Manufacturers Association, Arlington,

VA 22209)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

Calcium long chain alkaryl sulfonate

· Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P261

Avoid breathing dust/fume/gas/mist/vapors/spray

(Contd. on page 2)

(Contd. of page 1)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: CROSS POWER 2T

P280 Wear protective gloves.

P272 Contaminated work clothing must not be allowed out of the workplace.

P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P302+P352 IF ON SKIN: Wash with plenty of water.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· Classification system:

NFPA ratings (scale 0 - 4)



Health = 0 Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0
 Fire = 1
 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64742-47-8	Hydrocarbons, C11-C14, n-alkanes, isoalkanes,	10-25%
Reg.nr.: 01-2119456620-4	3 cycloalkanes, <2% aromatics	
	🗞 Asp. Tox. 1, H304; Flam. Liq. 4, H227	
	polyolefine-polyaminsuccinimide	1-3%
	Aquatic Chronic 4, H413	
CAS: 722503-68-6	Calcium long chain alkaryl sulfonate	0.25-1%
	🕩 Skin Sens. 1, H317; Aquatic Chronic 4, H413	

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Remove residues with soap and water.

Remove contaminated clothing immediately.

Immediately wash with water and soap and rinse thoroughly.

After eye contact:

Rinse opened eye for several minutes under running water.

Consult a physician if irritation develops.

· After swallowing:

Do not induce vomitting. Do not take in resorption stimulating agents.

(Contd. on page 3)

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: CROSS POWER 2T

(Contd. of page 2)

Consult a physician who will decide on need and method of emptying the stomach.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture In case of fire carbon, sulphur and nitrogen oxides can be formed.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:
- Precautions for safe handling

Vapours of this product are heavier than air and will collect in low areas such as pits, storage tanks, and other confined areas.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

No special measures required.

- Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Store containers closed and protect against rain, dust, heat and other atmospheric influences.

Store in cool, dry well ventilated area away from sources of ignition and heat.

· Storage class: 10

(Contd. on page 4)

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: CROSS POWER 2T

(Contd. of page 3)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Color: Fluid Red

· Odor:

Characteristic

· Odor threshold:

Not determined.

· pH-value:

Not determined.

(Contd. on page 5)

Printing date 03/22/2016 Reviewed on 03/22/2016

Trade name: CROSS POWER 2T

	(Contd. of page	
· Change in condition Melting point/Melting range: Boiling point/Boiling range: Solidification point:	Undetermined. Undetermined. -33 °C (-27 °F)	
· Flash point:	110 °C (230 °F)	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	348.8 °C (660 °F) (DIN 51794) >200 °C (DIN 51794)	
Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	0.0 Vol % 0.6 Vol.% 0.0 Vol % 6.5 Vol.%	
· Vapor pressure at 20 °C (68 °F):	1 hPa (1 mm Hg)	
· Density at 20 °C (68 °F): · Relative density · Vapor density · Evaporation rate	0.874 g/cm³ (7.294 lbs/gal) (ASTM D 4052) Not determined. Not determined. Not determined.	
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity: · Dynamic: · Kinematic: · VOC content:	60 mm2/s @ 40 °C Not determined. 60 mm²/s @ 40 °C (DIN 51562-1) 15.0 % 131.1 g/l / 1.09 lb/gl	
· Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

JS -

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: CROSS POWER 2T

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
1330-20-7	xylene	3
100-41-4	ethylbenzene	2B
· NTP (Natio	onal Toxicology Program)	
None of the	e ingredients is listed.	
· OSHA-Ca	(Occupational Safety & Health Administration)	
None of the	e ingredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-classification according VwVwS, 17.05.1999): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: CROSS POWER 2T

(Contd. of page 6)

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, ADR,ADN, ADN, IMDG, IATA	Void	
UN proper shipping name		
DOT, ADR,ADN, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR,ADN, ADN, IMDG, IATA		
Class	Void	
Packing group		
DOT, ADR,ADN, IMDG, IATA	Void	
Environmental hazards:		
Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex	II of	
MARPOL73/78 and the IBC Code	Not applicable.	
UN "Model Regulation":	Void	

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

· Section 355 (extremely hazardous substances):		
None of the	ingredients is listed.	
· Section 313	3 (Specific toxic chemical listings):	
1330-20-7 xylene		
100-41-4 ethylbenzene		
· TSCA (Toxic Substances Control Act):		
9003-29-6	Polybuten (Isobutylen-/Buten-Copolymer)	
74499-35-7	Branched alkylphenol and Calcium branched alkylphenol	
92257-31-3 2-Naphthalenol,1-((4-(phenylazo)phenyl)azo)-,ar-heptylar,ar,Methylderivate		
1330-20-7	xylene	
100-41-4	ethylbenzene	

- Proposition 65
- Chemicals known to cause cancer:

 100-41-4 ethylbenzene
 - None of the ingredients is listed.

(Contd. on page 8)

Printing date 03/22/2016

Reviewed on 03/22/2016

Trade name: CROSS POWER 2T

· Chemical	s known to cause reproductive toxicity for males:	(Contd. of page
	e ingredients is listed.	
· Chemical	s known to cause developmental toxicity:	
None of th	e ingredients is listed.	
· Carcinoge	enic categories	
	ironmental Protection Agency)	
1330-20-7	xylene	
100-41-4	ethylbenzene	1
· TLV (Thre	shold Limit Value established by ACGIH)	
1330-20-7	xylene	A
100-41-4	ethylbenzene	A
· NIOSH-Ca	(National Institute for Occupational Safety and He	alth)
None of th	e ingredients is listed.	

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- · Department issuing SDS: Abteilung Produktsicherheit
- · Date of preparation / last revision 03/22/2016 / -
- · Abbreviations and acronyms:

Flam. Liq. 4: Flammable liquids, Hazard Category 4 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 Asp. Tox. 1: Aspiration hazard, Hazard Category 1

Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4

US