Material Safety Data Sheet

| Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Sheet | Safety Data Shee

Revision: 7/13/2005

Protect All (Aerosol)

Date of Preparation: 11/12/92

Section 1 - Chemical Product and Company Identification

Product/Chemical Name: Protect All (Aerosol)

Chemical Formula: Trade Secret

CAS Number: NE Other Designations:

General Use: Cleaner, polish, wax & treatment for multiple surfaces.

Manufacturer: Protect All, Inc, 1910 E. Via Burton St., Anaheim, CA 92806-1215, Phone (714)635-4491, FAX (714)635-

9716 (Hours: M-F, 8am-5pm), (Emergency: Chem • Tel-(800)255-3924)

Section 2 - Composition / Information on Ingredients				
Ingredient Name	CAS Number	% wt		
Petroleum Hydrocarbon	64742-47-8	15-20		
Propane	74-98-6	5.1		
N-Butane	106-97-8	4.9		

Trace Impurities:

Ingredient	OSHA PEL		ACGIH TLV		NIOSH REL		NIOSH	
	TWA	STEL	TWA	STEL	TWA	STEL	IDLH	
Petroleum	5mg/m ³	none estab.	5mg/m ³	none est.	none estab.	non est.	none estab.	
Hydrocarbon								
Propane	none estab.	none estab.	1000 ppm	none est.	none estab.	non estab.	none estab.	
N-Butane	none estab.	none estab.	600 ppm	none est.	none estab.	non estab.	none estab.	

Section 3 - Hazards Identification

☆☆☆☆ Emergency Overview ☆☆☆☆

Potential Health Effects

Primary Entry Routes: Skin, eyes and inhalation.

Target Organs: NF **Acute Effects**

Inhalation: Breathing of mist or heated vapors may cause nasal and respiratory irritation.

Eye: Can cause moderate irritation, redness, tearing and blurred vision.

Skin: Prolonged or repeated contact can cause moderate irritation and dermatitis.

Ingestion: Can cause gastrointestinal irritation.

Carcinogenicity: IARC, NTP, and OSHA do not list Protect All (Aerosol) as a carcinogen

Medical Conditions Aggravated by Long-Term Exposure: NF

Chronic Effects: Specific toxicology studies have not been run on this product. This hazard evaluation is based on

information from the ingredients, information from similar products and professional experience.

Section 4 - First Aid Measures

Inhalation: If affected, remove individual to fresh air. If breathing is difficult, administer oxygen. If breathing has stopped, give artificial respiration. Keep person warm, quiet and get medical attention.

Eye Contact: Flush with large amounts of water, lifting upper & lower lids occasionally. Get medical attention.

Skin Contact: Thoroughly wash exposed area with soap & water. Remove contaminated clothing. Launder before re-use.

Ingestion: Do not induce vomiting, keep person warm & quiet, get medical attention. Aspiration of this material into the lungs due to vomiting can cause chemical pneumonitis, which can be fatal.

After first aid, get appropriate in-plant, paramedic, or community medical support.

Note to Physicians: NF

Special Precautions/Procedures: NF

Section 5 - Fire-Fighting Measures

Flash Point: > 80°F from can, < 200°F from concentrate

Flash Point Method: PMCC

Burning Rate: NF

Autoignition Temperature: NF

LEL: NF UEL: NF

Flammability Classification: Petroleum Hydrocarbon. Treat as an oil fire.

Extinguishing Media: Foam, CO₂, Dry Chemical, Water Spray

Unusual Fire or Explosion Hazards: Product vapors are heavy and may travel along floor to be ignited by a distant source. Hazardous Combustion Products: May form toxic materials, carbon dioxide & monoxide, sulfur oxides and various

hydrocarbons.

Fire-Fighting Instructions: Do not release runoff from fire control methods to sewers or waterways.

Fire-Fighting Equipment: Because fire may produce toxic thermal decomposition products, wear a self-contained breathing apparatus (SCBA) with a full facepiece operated in pressure-demand or positive-pressure mode.

Section 6 - Accidental Release Measures

Spill /Leak Procedures: Clean up spills promptly. Surfaces can be slippery. Treat as an oil spill.

Small Spills: Absorb liquid on paper, floor absorbent, vermiculite or other absorbent material and remove to waste storage containers.

Large Spills

Containment: For large spills, stop spill at source, dike far ahead of liquid spill to prevent spreading. Do not release into sewers or waterways.

Cleanup: People not wearing protective equipment should be excluded from the area until the clean-up has been completed. Pump to salvage or waste disposal tank. Remaining liquid may be taken up on sand, earth or other absorbent material and shoveled into containers.

Regulatory Requirements: Follow applicable OSHA regulations (29 CFR 1910.120).

Section 7 - Handling and Storage

Handling Precautions: Excessive misting may cause slippery floors. Never use a welding or cutting torch on or near container (even empty) because product can ignite explosively. Proper footwear is required. If skin contact is likely, use of impervious gloves is recommended. Where splash can occur, use apron or chemical suit and chemical goggles. Wash hands before eating or smoking.

Storage Requirements: Avoid storing this product near open flame or other heat sources. Containers of this material may be hazardous when emptied since emptied containers retain product residues (vapor, liquid or solid). All hazard precautions given in this datasheet must be observed.

Regulatory Requirements: Check local, state and federal requirements.

Section 8 - Exposure Controls / Personal Protection

Engineering Controls: NE

Ventilation: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs (Sec. 2). Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

Administrative Controls: NE

Respiratory Protection: Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, wear a MSHA/NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. For emergency or nonroutine operations (cleaning spills, reactor vessels, or storage tanks), wear an SCBA. Warning! Air-purifying respirators do not protect workers in oxygen-deficient atmospheres. If respirators are used, OSHA requires a written respiratory protection program that includes at least: medical certification, training, fit-testing, periodic environmental monitoring, maintenance, inspection, cleaning, and convenient, sanitary storage areas.

Protective Clothing/Equipment: Wearing chemically protective gloves, boots, aprons, and gauntlets to prevent prolonged or repeated skin contact is recommended. Wear protective eyeglasses or chemical safety goggles, per OSHA eye- and face-protection regulations (29 CFR 1910.133). Contact lenses are not eye protective devices. Appropriate eye protection must be worn instead of, or in conjunction with contact lenses.

Safety Stations: Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.



Revision date: 7/13/2005

Revision date: 7/13/2005

Protect All (Aerosol)

MSDS No. 16

Contaminated Equipment: Separate contaminated work clothes from street clothes. Launder before reuse. Remove this material from your shoes and clean personal protective equipment.

Comments: Never eat, drink, or smoke in work areas. Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using the toilet, or applying cosmetics.

Section 9 - Physical and Chemical Properties

Physical State: Liquid

Appearance and Odor: White, opaque w/out emulsion,

lemon scent

Odor Threshold: NE

Vapor Pressure: 3087mmHg at 70°F

Vapor Density (Air=1): > 1 Formula Weight: NF

Density: NE

Specific Gravity (H₂O=1, at 4 °C): Minus propellant,

934

Water Solubility: Negligible.

Other Solubilities: NE

Boiling Point: of concentrate, > 200°F

Freezing/Melting Point: NF

Viscosity: NF

Refractive Index: NF Surface Tension: NF % Volatile: NF

Evaporation Rate: < 1

pH: NA

Section 10 - Stability and Reactivity

Stability: Protect All (Aerosol) is stable at room temperature in closed containers under normal storage and handling conditions.

Polymerization: Hazardous polymerization cannot occur.

Chemical Incompatibilities: Strong oxidizing and reducing agents.

Conditions to Avoid: NF

Hazardous Decomposition Products: Thermal oxidative decomposition of Protect All (Aerosol) can produce oxides of carbon,

oxides of sulfur and various hydrocarbons.

Section 11- Toxicological Information

Toxicity Data:*

Eye Effects: NE

Skin Effects: NE Carcinogenicity: NE Acute Inhalation Effects: NE Acute Oral Effects: NE Chronic Effects: NE

Mutagenicity: NE Teratogenicity: NE

Section 12 - Ecological Information

Ecotoxicity: NE

Section 13 - Disposal Considerations

Disposal: Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations.

Disposal Regulatory Requirements: Transport in DOT-approved containers to an EPA-approved treatment, storage and disposal (TSD) facility.

Container Cleaning and Disposal: Clean thoroughly as appropriate to the specific container. Observe recommended control measures shown in this document.

^{*}Specific toxicity studies have not been conducted on this product. This hazard evaluation is based on information from the ingredients, similar products and professional experience.

Section 14 - Transport Information

DOT Transportation Data (49 CFR 172.101):

Shipping Name: Petroleum Oil

Shipping Symbols: D Hazard Class: 3 ID No.: NA1270 Packing Group: II

Label: 3

Special Provisions (172.102): T8, T31

Packaging Authorizations

a) Exceptions: 173.150

b) Non-bulk Packaging: 173.202

c) Bulk Packaging:

173.242

Quantity Limitations

a) Passenger, Aircraft, or Railcar:

5L

b) Cargo Aircraft Only: 60L

Vessel Stowage Requirements

a) Vessel Stowage: B

b) Other:

Section 15 - Regulatory Information

EPA Regulations:

RCRA Hazardous Waste Number: Not listed (40 CFR 261.33)

RCRA Hazardous Waste Classification (40 CFR 261.??): Not classified

CERCLA Hazardous Substance (40 CFR 302.4) unlisted specific per RCRA, Sec. 3001; CWA, Sec. 311 (b)(4); CWA, Sec.

307(a), CAA, Sec. 112

CERCLA Reportable Quantity (RQ): No RQ for product or any constituent greater than 1% or 0.1% (carcinogen).

SARA 311/312 Codes: NF

SARA Toxic Chemical (40 CFR 372.65): No toxic chemical is present greater than 1% or 0.1% (carcinogen).

SARA EHS (Extremely Hazardous Substance) (40 CFR 355): No TPQ for product or any constituent greater than 1% or 0.1% (carcinogen).

OSHA Regulations:

Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed OSHA Specifically Regulated Substance (29 CFR 1910.????) NF

State Regulations: NF

Other:

All applicable ingredients are TSCA listed.

Section 16 - Other Information

Prepared By: Protect All, Inc. www.protectall.com

Revision Notes:

7/13/2005: Reviewed. No revisions necessary.

04/28/2005: Updated CAS # for petroleum hydrocarbon.

11/14/2000: Updated to PDF format. 8/2/2000: MSDS reviewed. No changes.

5/5/98: Added TSCA statement to Sect. 15 - Regulatory Information.

Additional Hazard Rating Systems:

Disclaimer: Judgments as to the suitability of information herein or the purchaser s purposes are necessarily the purchaser s responsibility. Reasonable care has been taken in the preparation of this information, but Protect All, Inc., extends no warranties, makes no representations and assumes no responsibility or suitability of this information for any purchaser s use or for any consequence of its use.