

# Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Specification No:

Page 1 of 10

Print date: 19OCT2011

Revision date: 19OCT2011

## Section 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product Identifier

#### 1.1.1 Trade name/designation:

No-Toil Biodegradable Foam Filter Oil

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant identified uses:

Foam air filter oil

#### 1.2.2 Uses advised against:

All others not listed above

### 1.3 Details of the supplier

#### 1.3.1 Supplier:

No Toil Industries

#### 1.3.2 US Address

1327 Harter Rd.

Yuba City, CA 95993

#### 1.3.3 US Phone

(530)671-4645

### 1.4 Emergency Telephone Number

CHEMTREC: 1(800)424-9300

## Section 2: Hazards identification

### 2.1 Classification of the substance or mixture:

#### 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

3A: Flammable liquid materials with a flashpoint below 55C

#### 2.1.2 Classification according to 67/548/EEC or 1999/45/EC

Xi, F

#### 2.1.3 Additional information:

### 2.2 Label elements

#### 2.2.1 Labeling according to Regulation (EC) No 1272/2008

Product identifier: No-Toil Biodegradable Foam Filter Oil

Hazard pictograms:

Xi: Irritant



F: Highly Flammable



Signal word:

Warning!

Hazard statements:

H227

H316

H320

H333

H335

# Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Specification No:

Page 2 of 10

Print date: 19OCT2011

Revision date: 19OCT2011

Precautionary statements:

P101

P102

P233

P262

P270

P281

## 2.3 Other hazards

Adverse physicochemical effects:

Adverse human health effects and symptoms:

**Eye Contact:** Exposure can cause eye irritation. Symptoms may include stinging, tearing, redness and swelling.

**Skin contact:** Exposure may cause mild skin irritation. Prolonged or repeated exposure may dry the skin. Symptoms may include redness, burning, drying and cracking, and skin burns. Pre-existing skin disorders may be aggravated by exposure to this material. Skin absorption possible, but harmful effects are not expected from this route of exposure under normal conditions of handling and use.

**Inhalation:** Exposure to vapor or mist is possible. Short term inhalation toxicity is low. Breathing small amounts during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful. Symptoms of exposure may include:

Irritation (nose, throat, respiratory tract) pre-existing lung disorders e.g. Asthma-like conditions may be aggravated by exposure to this material.

Impaired coordination

Confusion

Central Nervous System Depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness)

Low blood pressure

Coma

**Ingestion:** Single dose oral toxicity is low, swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts may be harmful. Symptoms may include:

Gastrointestinal irritation (nausea, vomiting, diarrhea)

Impaired coordination

Central Nervous System depression

Respiratory depression

Low blood pressure

Effects on heart rate

Mild, reversible liver effects

Pulmonary edema

Adverse environmental effects:

Other adverse hazards:

## Section 3: Composition/information on ingredients

### 3.1 Description of the mixture:

AS No	C	EC No	INDEX No	REACH No	% [weight]	Name	Classification according to 67/548/EEC
67-63-0		200-661-7			24	Iropropanol	Xi, F, R11, R36, R67, S16, S24/25, S26, S7
61788-89-4		500-148-0			70	Carboxylic Acid	

# Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Specification No:

Page 3 of 10

Print date: 19OCT2011

Revision date: 19OCT2011

## Section 4: First Aid Measures

### 4.1 Description of first aid measures

#### 4.1.1 Eye contact:

If symptoms develop, move individual away from exposure and into fresh air, flush eyes gently with water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

#### 4.1.2 Inhalation:

If symptoms develop, immediately move individual away from exposure and into fresh air. Seek immediate medical attention; keep person warm and quiet. If person is not breathing, begin artificial respiration. If breathing is difficult, administer oxygen.

#### 4.1.3 Skin contact:

Remove contaminated clothing; wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.

#### 4.1.4 Ingestion:

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth. Place individual on the left side with the head down. If individual is conscious and alert, induce vomiting by giving syrup of ipecac or by gently placing two fingers at the back of the throat. If possible, do not leave individual unattended.

## Section 5: Firefighting measures

### 5.1 Extinguishing media:

#### 5.1.1 Suitable extinguishing media:

Alcohol foam, CO2, Dry Chemicals

#### 5.1.2 Unsuitable extinguishing media:

Water may not be effective for fighting fires; water may be used to keep fire-exposed containers cool until fire is out.

### 5.2 Special hazards arising from the substance or mixture

#### 5.2.1 Hazardous combustion products:

May form toxic materials; carbon dioxide and carbon monoxide.

### 5.3 Advice for fire-fighters:

Wear self contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.

### 5.4 Additional information:

Never use welding or cutting torch on or near cases of product because product can ignite explosively.

## Section 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

Protective equipment:

Gloves, protective clothing

#### 6.1.2 For emergency responders

Personal protective equipment:

Gloves, protective clothing, boots, respirator if necessary.

### 6.2 Environmental precautions:

Prevent run-off to sewers, streams and other bodies of water.

# Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Specification No:

Page 4 of 10

Print date: 19OCT2011

Revision date: 19OCT2011

6.3 Methods and material for containment and cleaning up

6.3.1 For containment:

Absorb liquid with absorbent material.

6.3.2 For cleaning up:

Dispose of waste in a properly marked container.

6.4 Additional information:

Follow all local, State, and Federal regulations.

## Section 7: Handling and storage

7.1 Precautions for safe handling

7.1.1 Protective measures:

7.1.1.1 Fire preventions:

Keep away from any form of flame or extreme heat.

7.1.2 Advice on general occupational hygiene

Provide readily accessible eye wash stations & safety showers

Wash at end of each work shift & before eating, smoking, or using the toilet.

Promptly remove clothing that becomes contaminated. Destroy contaminated leather articles. Launder or discard contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep away from any form of flame or extreme heat.

Keep away from strong oxidizing agents, acids, chlorine, acetaldehyde, ethylene oxide, and Isocyanates.

Packaging materials:

Requirements for storage rooms and vessels:

Store in a cool environment away from extreme heat

Storage class:

3A: Flammable liquid materials (Flashpoint below 55 C)

Further information on storage conditions:

NO TOIL

# Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Print date: 19OCT2011

Specification No:

Page 5 of 10

Revision date: 19OCT2011

## Section 8: Exposure controls/personal protection

### 8.1 Control parameters

#### 8.1.1 Occupational exposure limits:

Limit value type (country of origin)	Substance name	EC-No.	CAS-No	Limit value	Monitoring and observation processes
TWA (AU) STEL (AU) TWA (BE) STEL (BE) TWA (DK) STEL (FR) TWA (DE) STEL (JP) TWA (NTH) TWA (PI) STEL (RU) TWA (SW) STEL (SW) TWA (CH) STEL (CH) TWA (TU) TWA (UK) STEL (UK)	Isopropanol	200-661-7	67-63-0	400 ppm 500 ppm 400 ppm 500 ppm 200 ppm 400 ppm 400 ppm 400 ppm 400 ppm 400 ppm 150 ppm 250 ppm 400 ppm 800 ppm 200 ppm 400 ppm 500 ppm	

### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls:

Provide adequate ventilation to maintain airborne levels below recommended exposure limits.

#### 8.2.2 Personal protective equipment:

##### 8.2.2.1 Eye/Face protection:

Use appropriate PPE to prevent splashing into eyes.

##### 8.2.2.2 Skin protection:

Gloves (vinyl, Nitrile, Latex, ETC.) should be used if there will be direct contact with product.

##### 8.2.2.3 Respiratory protection:

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant a respirator's use.

##### 8.2.2.4 Thermal hazards:

May form toxic materials; carbon monoxide and carbon dioxide

#### 8.2.3 Environmental exposure controls:

Prevent from reaching ground water or waste water system.

# Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Print date: 19OCT2011

Specification No:

Page 6 of 10

Revision date: 19OCT2011

## Section 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

9.1.1 Appearance

Physical state: **Liquid**      Color: **Red**      Odor: **Slight Alcohol odor**      Odor threshold:

9.1.2 Safety relevant basic data

pH (20 °C): **No Data**

Melting point/range(°C): **No Data**

Initial boiling point/range (°C): **82.22 @760mm Hg**

Decomposition temperature (°C): **No Data**

Flash point (°C): **20**

Ignition temperature (°C): **No Data**

Vapor pressure (hPa): **33.00**

Vapor density (air = 1): **2.07**

Density (g/cm<sup>3</sup>) at °C: **No Data**

Bulk density (kg/m<sup>3</sup>): **No Data**

Water solubility (20°C in g/l): **No Data**

Solubility(ies): **No Data**

Partition coefficient: **No Data**

N-Octanol/Water (log Po/w): **No Data**

Viscosity, dynamic (mPa s): **No Data**

9.1.3 Physical hazards:

**Flammable liquids**

9.2 Other safety information:

Properties of explosive atmospheres (mixtures):

Gases and vapors: **No Data**

Dusts: **No Data**

Physical chemical properties of nanoparticles: **No Data**

Limiting oxygen concentration: **No Data**

Bulk density: **No Data**

Solubility in different media: **No Data**

Stability in organic solvents and identity of relevant degradation products: **No Data**

Evaporation rate: **7.70**

Conductivity: **No Data**

Surface tension: **No Data**

Dissociation constant in water (pKa): **No Data**

Oxidation-reduction Potential: **No Data**

Fat solubility (solvent – oil to be specified): **No Data**

Critical temperature: **No Data**

# Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Specification No:

Page 7 of 10

Print date: 19OCT2011

Revision date: 19OCT2011

## Section 10: Stability and reactivity

- 10.1 Reactivity:  
Not Reactive
- 10.2 Chemical stability:  
Stable
- 10.3 Possibility of hazardous reactions  
Will not occur
- 10.4 Conditions to avoid:  
Do not use with aluminum equipment at temperature above 120F.
- 10.5 Incompatible materials:  
Strong oxidizing agents, acids, chlorine, acetaldehyde, ethylene oxide, and isocyanates
- 10.6 Hazardous decomposition products:  
May form toxic materials; carbon dioxide and carbon monoxide.

## Section 11: Toxicological Information

### 11.1 Information on toxicological effects:

	Effect dose / Concentration	Species	Method	Time
Acute oral toxicity	3600 mg/kg	Mouse	LD50	
Acute dermal toxicity	12800 mg/kg	Rabbit	LD50	
Acute inhalative toxicity (gas)				
Acute inhalative toxicity (vapor)				
Acute inhalative toxicity (dust/mist)				

### 11.2 Other information:

#### 11.2.1 Assessment/classification

Class 3A: Flammable liquid materials with a flashpoint below 55 C

#### 11.2.2 Routes of exposure:

Absorbed through skin, dermal contact, eye contact, and inhalation

#### 11.2.3 In case of ingestion:

Single dose oral toxicity is low, swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts may be harmful. Symptoms may include:

Gastrointestinal irritation (Nausea, vomiting, diarrhea)

Impaired coordination

Central Nervous System depression

Respiratory depression

Low blood pressure

Effects on heart rate

Mild, reversible liver effects

Pulmonary edema

#### 11.2.3 In case of skin contact:

Exposure may cause mild skin irritation. Prolonged or repeated exposure may dry the skin. Symptoms may include redness, burning, drying and cracking and skin burns. Pre-existing skin disorders may be aggravated by exposure to this material. Skin absorption possible, but harmful effects are not expected from this route of exposure under normal conditions of handling and use.

# Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Specification No:

Page 8 of 10

Print date: 19OCT2011

Revision date: 19OCT2011

## 11.2.4 In case of inhalation:

Exposure to vapor or mist is possible. Short term inhalation toxicity is low. Breathing small amounts during normal handling is not likely to cause harmful effects: breathing large amounts may be harmful. Symptoms of exposure may include:

Irritation (nose, throat, respiratory tract) pre-existing lung disorders e.g. asthma-like conditions may be aggravated by exposure to this material.

Impaired coordination

Confusion

Central Nervous System depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness)

Low blood pressure

Coma

## 11.2.5 In case of eye contact:

Exposure can cause eye irritation. Symptoms may including stinging, tearing, redness and swelling.

## Section 12: Ecological information

### 12.1 Toxicity:

Aquatic toxicity

When spilled this product may act as an oil, causing a film, sheen, emulsion, or sludge at or beneath the surface of a body of water.

#### 12.1.1 Substances

Acute (short-term) toxicity

Effect dose	Exposure time	Species	Method	Evaluation	Remark
100000 mg/L	96 Hours	Fathead Minnow	LC50		
			EC50		
			IC50		

## Section 13: Disposal considerations

### 13.1 Waste treatment methods

#### 13.1.1 Water Hazard Class:

WGK 2

#### 13.1.2 Waste codes/waste designations according to EWC/AVV:

16 01 99

### 13.2 Additional information:

Dispose of in a manner consistent with Federal, State, and Local regulations.

## Section 14: Transport Information

### 14.1 Land transport (CFR 49: DOT)

Containers less than 2 liters are considered a Consumer Commodity (ORM-D)

Larger than 2 liters are as follows:

UN-No: UN1219

Proper shipping name: Isopropanol Solution

Class (es): 3

Packing group: II

Hazard label(s): 3

Special provision(s): IB2, T4, TP1

# Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Specification No:

Page 9 of 10

Print date: 19OCT2011

Revision date: 19OCT2011

14.2 Land transport (ADR/RID/GGVSEB):  
UN-No: UN1219  
Proper shipping name: Isopropanol Solution  
Class (es): 3  
Classification Code: F1  
Packing group: II  
Hazard label(s): 3  
Special provision(s): 601

14.3 Sea transport (IMDG-Code/GGVSee):  
UN No: UN1219  
Proper shipping name: Isopropanol Solution  
Class (es): 3  
Packing group: II  
Marine Pollutant: No  
Special provision(s): -

14.4 Air transport (ICAO-IATA/DGR):  
UN No: UN1219  
Proper shipping name: Isopropanol Solution  
Class (es): 3  
Packing group: II  
Special provision(s): A180

## Section 15: Regulatory Information


15.1 Safety, health and environmental regulations/legislation specific for the mixture

15.1.1 National regulations(United States):  
OSHA: Hazardous by definition of hazard communication standard (29 CFR 1920.1200)  
TSCA:  
The components of this product are listed on the TSCA inventory.  
None of the chemicals are listed under TSCA Section 12b  
CERCLA Hazardous substances and corresponding RQs  
None of the chemicals in this material have an RQ  
SARA Section 302 Extremely Hazardous Substances:  
None of the chemicals in this product have a TPQ  
SARA Codes  
Isopropanol: Acute, chronic, flammable

STATE:

Isopropanol can be found on the following state right to know lists: California, New Jersey, Pennsylvania, Minnesota, Massachusetts.

HMIS:



# Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Print date: 19OCT2011

Specification No:

Page 10 of 10

Revision date:

19OCT2011

## 15.1.2 National regulations(EU):

EINECS: This product is on the European inventory of existing commercial chemical substances.

EU Classification: Xi, F

EU Risk Phrases: R11, R36

EU Safety Phrases: S16, S24/25, S26, S7

## 15.1.3 National regulations(Canada):

Class B2: flammable liquid with flash point lower than 37.8 C.

Class D-2b: Material causing other toxic effects

## Section 16: Other Information

### 16.1 Relevant R-, H- and EUH-phrases (number and full text):

Hazard statements:

H227: Combustible liquid

H316: Causes mild skin irritation

H320: Causes eye irritation

H333: May be harmful if inhaled

H335: May cause respiratory irritation

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

P233: Keep container tightly closed

P262: Do not get in eyes, on skin, or on clothing

P270: Do not eat, drink or smoke when using this product

P281: Use personal protective equipment as required

R-Phrases

R11: Highly flammable

R36: Irritating to eyes

S-Phrases

S7: Keep container tightly closed

S16: Keep away from sources of ignition – No smoking

S24/25: Avoid contact with skin and eyes

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

### 16.2 Further information:

The information contained herein is believed to be accurate. It is provided independently of any sale of the product for the purpose of hazard communication. It is not intended to constitute performance information concerning the product. No Express warranty, or implied warranty of merchantability or fitness for a particular purpose is made to the product or the information contained herein.