

SM 17075T  
(tube)

# Material Safety Data Sheet

May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

## U.S. Department of Labor

Occupational Safety and Health Administration  
(Non-Mandatory Form)

Form Approved

OMB No. 1218-0072



IDENTITY (As Used on Label and List)

S100 Total Cycle Finish Restorer

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

### Section I

Manufacturer's Name

Brookside Import Specialties

Emergency Telephone Number

203-488-6569

Address (Number, Street, City, State, and ZIP Code)

550 E. Main St. Branford, CT 06405

Telephone Number for Information

203-488-6569

Date Prepared

October 1, 1992

Signature of Preparer (optional)

### Section II — Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Petroleum Distillate CAS 64742-88-7	500	100	N/A	

### Section III — Physical/Chemical Characteristics

Boiling Point		Specific Gravity (H <sub>2</sub> O = 1)	1.3
Paste - will not boil			
Vapor Pressure (mm Hg.)	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A

Solubility in Water

insoluble

Appearance and Odor

white paste, mild pleasant odor

### Section IV — Fire and Explosion Hazard Data

Flash Point (Method Used)	Flammable Limits	LEL	UEL
122°F Tag. closed cup		N/A	N/A

Extinguishing Media

Foam, water spray (fog), dry chem. CO<sub>2</sub>

Special Fire Fighting Procedures

Keep containers cool with water, use breathing apparatus for enclosed areas. Avoid breathing vapors or fumes or decomposition products.

Unusual Fire and Explosion Hazards

None

## Section V — Reactivity Data

Stability	Unstable		Conditions to Avoid	None
	Stable	X		

Incompatibility (Materials to Avoid)

~~Avoid contact with strong oxidants such as liquid chlorine, concentrated oxygen, etc.~~

Hazardous Decomposition or Byproducts

None

Hazardous Polymerization	May Occur		Conditions to Avoid	None
	Will Not Occur	X		

## Section VI — Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
	No	yes	yes

Health Hazards (Acute and Chronic)

Oral LD 50 greater than 5g/kg

Dermal LD 50 greater than 3.16 g/kg.

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	NO	NO	NO

Signs and Symptoms of Exposure

Skin irritation possible after prolonged, repeated contact. May irritate eyes

Medical Conditions

Generally Aggravated by Exposure Dermatitis aggravated by skin contact

Emergency and First Aid Procedures

Eyes: Flush with clear water for 15 minutes. If irritation persists, call doctor.

Skin: Remove contaminated clothing, wash skin thoroughly with soap and water.

Ingestion: Do not induce vomiting. Call physician immediately.

## Section VII — Precautions for Safe Handling and Use

Steps to Be Taken in Case Material Is Released or Spilled

Shut off all ignition sources. Keep people clear. Recover free product. Add sand, earth or other absorbant to spill area. Ventilate area. Keep product out of sewers, watercourses.

Waste Disposal Method

Do not dump into sewers or drains. Dispose of in approved manner.

Precautions to Be Taken in Handling and Storing

Do not store near open flame, smoking areas, ignition sources.

Other Precautions

None

## Section VIII — Control Measures

Respiratory Protection (Specify Type)

None

Local Exhaust	Special
	Other

Protective Gloves

Chemical resistant for prolonged exposure

Eye Protection

None

Other Protective Clothing or Equipment

Chemical resistant apron if needed to avoid contaminating regular clothing.

Work/Hygienic Practices

Keep containers closed/capped when not in area. Do not use near heat, sparks, flame



May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

Occupational Safety and Health Administration  
(Non-Mandatory Form)

Form Approved  
OMB No. 1218-0072

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Manufacturer's Name <b>Brookside Import Specialties</b>	Emergency Telephone Number <b>203-488-6569</b>
Address (Number, Street, City, State, and ZIP Code) <b>550 E. Main St. Branford, CT 06405</b>	Telephone Number for Information <b>203-488-6569</b>
	Date Prepared <b>October 1, 1992</b>
	Signature of Preparer (optional)

[illegible]

Boiling Point Paste - will not boil		Specific Gravity (H <sub>2</sub> O = 1) 1.3	
Vapor Pressure (mm Hg.) N/A		Melting Point N/A	
Vapor Density (AIR = 1) N/A		Evaporation Rate (Butyl Acetate = 1) N/A	
Solubility in Water insoluble			
Appearance and Odor white paste, mild pleasant odor			

Flash Point (Method Used)	122°F	Tag. closed cup	Flammable Limits	LEL	N/A	UEL	N/A
Extinguishing Media	Foam, water spray (fog), dry chem. CO <sub>2</sub>						
Special Fire Fighting Procedures	Keep containers cool with water, use breathing apparatus for enclosed areas. Avoid breathing vapors or fumes or decomposition products.						
Unusual Fire and Explosion Hazards	None						

**Section V — Reactivity Data**

Stability	Unstable		Conditions to Avoid	None
	Stable	X		

**Incompatibility (Materials to Avoid)**

~~Avoid contact with strong oxidants such as liquid chlorine, concentrated oxygen, etc.~~  
Hazardous Decomposition or Byproducts  
None

Hazardous Polymerization	May Occur		Conditions to Avoid	None
	Will Not Occur	X		

**Section VI — Health Hazard Data**

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
	No	yes	yes

**Health Hazards (Acute and Chronic)**

Oral LD 50 greater than 5g/kg

Dermal LD 50 greater than 3.16 g/kg.

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	No	No	No

**Signs and Symptoms of Exposure**

Skin irritation possible after prolonged, repeated contact. May irritate eyes

**Medical Conditions**

Generally Aggravated by Exposure Dermatitis aggravated by skin contact

**Emergency and First Aid Procedures**

Eyes: Flush with clear water for 15 minutes. If irritation persists, call doctor.

Skin: Remove contaminated clothing, wash skin thoroughly with soap and water.

Ingestion: Do not induce vomiting. Call physician immediately.

**Section VII — Precautions for Safe Handling and Use****Steps to Be Taken in Case Material Is Released or Spilled**

Shut off all ignition sources. Keep people clear. Recover free product. Add sand, earth or other absorbant to spill area. Ventilate area. Keep product out of sewers, watercourses.

**Waste Disposal Method**

Do not dump into sewers or drains. Dispose of in approved manner.

**Precautions to Be Taken in Handling and Storing**

Do not store near open flame, smoking areas, ignition sources.

**Other Precautions**

None

**Section VIII — Control Measures****Respiratory Protection (Specify Type)**

None

Ventilation Req.	Local Exhaust	Special
	Mechanical (General)	Other

**Protective Gloves**

Chemical resistant for prolonged exposure

**Eye Protection**

None

**Other Protective Clothing or Equipment**

Chemical resistant apron if needed to avoid contaminating regular clothing.

**Work/Hygiene Practices**

Keep containers closed/capped when not in area. Do not use near heat, sparks, flame