# MATERIAL SAFETY DATA SHEET

# 1. Product and Company Identification

Material name Bel-Ray High Performance Fork Oil 5W

**Product Code** 99300 **MSDS Number** 6403 Version # 1.0

06-10-2010 **Revision date** Product use Lubricant

Manufacturer information Bel-Ray Company, Inc.

P.O. Box 526

Farmingdale, NJ 07727 United States of America +1 732 938 2421

CHEMTREC: +1 703-527-3887 (outside USA)

CHEMTREC: 800-424-9300 (USA)

# 2. Hazards Identification

**Emergency overview** Health injuries are not known or expected under normal use. This is a consumer care product that

is safe for consumers when used according to the label directions. Like many consumer products, a small number of individuals may experience reactions such as redness, rash and / or swelling upon

prolonged or repeated skin contact or eye contact.

**OSHA** regulatory status This product is considered not hazardous under 29 CFR 1910.1200 (Hazard Communication).

Potential health effects

**Eyes** Contact with eyes may cause irritation.

Skin Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis.

May cause skin irritation in susceptible persons.

Inhalation Health injuries are not known or expected under normal use. Ingestion Health injuries are not known or expected under normal use.

Signs and symptoms Irritation of eyes and mucous membranes.

Potential environmental

effects

Not expected to be harmful to aquatic organisms.

# 3. Composition / Information on Ingredients

Non-hazardous components	CAS #	Percent
Interchangeable base oils, one or more: 64741-88-4, 64742-55-8, 64642-53-6		>= 80

# 4. First Aid Measures

First aid procedures

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Skin contact Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Ingestion Rinse mouth. Do not induce vomiting. If ingestion of a large amount does occur, call a poison

control center immediately. Never give liquid to an unconscious person.

General advice Call a physician if symptoms develop or persist.

# 5. Fire Fighting Measures

Flammable properties Not flammable by OSHA criteria. Not combustible by OSHA criteria.

Extinguishing media

Suitable extinguishing Water. Water spray. Foam. Dry powder. Carbon dioxide (CO2).

media

Material name: Bel-Ray High Performance Fork Oil 5W MSDS US 99300 Version #: 1.0 Revision date: 06-10-2010 Print date: 06-10-2010

Fire fighting

equipment/instructions

Not available.

Specific methods

Cool containers exposed to flames with water until well after the fire is out.

**Hazardous combustion** 

products

May include oxides of nitrogen. Carbon monoxide and carbon dioxide.

# 6. Accidental Release Measures

Personal precautions Keep unnecessary personnel away. In case of spills, beware of slippery floors and surfaces.

**Environmental precautions** 

Prevent further leakage or spillage if safe to do so. Do not contaminate water.

Methods for containment

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use water

spray to reduce vapors or divert vapor cloud drift.

Methods for cleaning up

Should not be released into the environment.

Large Spills: Dike far ahead of spill for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination. Following product recovery, flush area with water.

Never return spills in original containers for re-use.

# 7. Handling and Storage

Handling DO NOT handle, store or open near an open flame, sources of heat or sources of ignition. Protect

material from direct sunlight. Avoid release to the environment. Handle and open container with

care.

Class IIIB Combustible Liquid. Storage

Keep away from heat, sparks and open flame. Room temperature - normal conditions. Keep out of

the reach of children. Use care in handling/storage.

# 8. Exposure Controls / Personal Protection

# Occupational exposure limits

ACG	

Components	Туре	Value	Form
Interchangeable base oils, one or more: 64741-88-4, 64742-55-8, 64642-53-6	STEL	10.0000 mg/m3	Mist.
	TWA	5.0000 mg/m3	Mist.
U.S OSHA			
Components	Туре	Value	Form
Interchangeable base oils, one or more: 64741-88-4, 64742-55-8, 64642-53-6	PEL	5.0000 mg/m3	Mist.
		2000.0000	
		mg/m3	
		500.0000 ppm	
	TWA	5.0000 mg/m3	Mist.
		400.0000 ppm	
		1600.0000	
		mg/m3	

# Personal protective equipment

Eye / face protection Not normally needed.

Skin protection No special protective equipment required.

**Respiratory protection** No personal respiratory protective equipment normally required.

General hygiene considerations

Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical & Chemical Properties

**Appearance** Oily. Color Green.

Material name: Bel-Ray High Performance Fork Oil 5W 99300 Version #: 1.0 Revision date: 06-10-2010 Print date: 06-10-2010 Odor Mild.

Odor threshold Not available.

Physical state Liquid
Form Liquid.

**pH** Not available.

Melting point/Freezing point 23 °F (-4.5 °C) estimated / 23 °F (-4.5 °C) estimated

**Boiling point** 338 °F (170 °C) estimated

**Flash point** 302 °F (150 °C) Pensky-Martens Closed Cup

**Evaporation rate** Not available. **Flammability limits in air**, Not available.

upper, % by volume

Flammability limits in air, lower, % by volume

Not available.

Vapor pressure 82.4701 hPa estimated

Density871 kg/m³Vapor densityNot available.

Specific gravity 0.871

**Relative density** 0.8908 g/cm3 estimated

Solubility (water) Negligible
Solubility (other) Oil

Partition coefficient Not available.

(n-octanol/water)

**Auto-ignition temperature** 420.8 °F (215.556 °C) estimated

**Decomposition temperature** Not available.

VOC 0.0099 % estimated

**Viscosity** 15.8 - 18.5 cSt @ 104 °F (40 °C)

Percent volatile 0.016699 % estimated

# 10. Chemical Stability & Reactivity Information

**Chemical stability** Material is stable under normal conditions.

Conditions to avoid Heat, flames and sparks.

Hazardous decomposition

products

Irritants. Nitrogen oxides (NOx). At thermal decomposition temperatures, carbon monoxide and

carbon dioxide.

# 11. Toxicological Information

# Toxicological data

Product Test Results

Bel-Ray High Performance Fork Oil 5W (Mixture)

Acute Oral LD50 Rat: 10096 g/kg estimated

**Local effects** Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Contact with eyes

may cause irritation. May cause skin irritation.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

Further information This product has no known adverse effect on human health.

# 12. Ecological Information

# Ecotoxicological data

Product Test Results

Bel-Ray High Performance Fork Oil 5W (Mixture) EC50 Daphnia: 9546 mg/l 48.00 hours estimated

LC50 Fish: 29790 mg/l 96.00 hours estimated

**Ecotoxicity** Contains a substance which causes risk of hazardous effects to the environment.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Environmental effects** 

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Persistence and degradability

Not available.

# 13. Disposal Considerations

**Disposal instructions** 

Do not allow this material to drain into sewers/water supplies. This product, in its present state, when discarded or disposed of, is not a hazardous waste according to Federal regulations (40 CFR 261.4 (b)(4)). Under RCRA, it is the responsibility of the user of the product to determine, at the time of disposal, whether the product meets RCRA criteria for hazardous waste. Dispose in accordance with all applicable regulations.

# 14. Transport Information

#### DOT

Not regulated as dangerous goods.

#### IATA

Not regulated as dangerous goods.

#### **IMDG**

Not regulated as dangerous goods.

# 15. Regulatory Information

**US** federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazarc

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

# **CERCLA (Superfund) reportable quantity**

None

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

No

hazardous substance Section 311 hazardous

No

chemical

#### Inventory status

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# State regulations WARNING: This product contains a chemical known to the State of California to cause cancer. US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

ARSENIC (CAS 7440-38-2)

ETHYL ACRYLATE (CAS 140-88-5)

ETHYLBENZENE (CAS 100-41-4)

Listed: February 27, 1987 Carcinogenic.

Listed: July 1, 1989 Carcinogenic.

Listed: June 11, 2004 Carcinogenic.

#### 16. Other Information

**Further information** HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 0

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 0

Flammability: 1 Instability: 0

Material name: Bel-Ray High Performance Fork Oil 5W
99300 Version #: 1.0 Revision date: 06-10-2010 Print date: 06-10-2010

# Disclaimer

Bel-Ray Company cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Issue date

06-10-2010