

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Cleaner

Product. No: NT-03/NT-20

Print date: 17OCT2011

Specification No:

Page 1 of 9

Revision date: 17OCT2011

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

1.1.1 Trade name/designation:

No-Toil Biodegradable Foam Filter Cleaner

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses:

Foam air filter cleaner

1.2.2 Uses advised against:

All others not listed above

1.3 Details of the supplier

1.3.1 Supplier:

No Toil Industries

1.3.2 E-Mail

-

1.3.3 U.S. Address

1327 Harter Rd.

Yuba City, Ca, 95993

1.3.4 Phone Number:

(530)671-4645

1.4 Emergency Telephone Number

Chemtrec: 1-800-424-9300

Section 2: Hazards identification

2.1 Classification of the substance or mixture:

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Class 13: Non-flammable solids in non-flammable package

2.1.2 Classification according to 67/548/EEC or 1999/45/EC

EU Hazard Classification: Xi: Irritant

EU Risk Phrases: R36/37/38, S2, S22, S24/25

2.1.3 Additional information:

2.2 Label elements

2.2.1 Labeling according to Regulation (EC) No 1272/2008

Product identifier:

No-Toil Biodegradable Foam Filter Cleaner

Mixtures:

Hazard pictograms:



Signal word:

Warning!

Hazard statements:

H303, H315, H319, H335

Precautionary statements:

P264, P280, P305+P351+P338, P337+P313

Supplemental Hazard information (EU):

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Cleaner

Product. No: NT-03/NT-20

Print date: 17OCT2011

Specification No:

Page 2 of 9

Revision date: 17OCT2011

2.3 Other hazards

Adverse physicochemical effects:

Adverse human health effects and symptoms:

Symptoms of overexposure

Eye contact: May cause eye irritation. No significant adverse effects expected.

Skin contact: May cause skin irritation seen as redness and swelling. In the presence of moisture or sweat, may cause more severe irritation, including burns, following prolonged contact.

Ingestion: May cause burns of the mouth, throat, Esophagus and Diarrhea if large quantities are ingested.

Inhalation: May be irritating to the nose, throat, and respiratory tract.

Adverse environmental effects:

Other adverse hazards:

Section 3: Composition/information on ingredients

3.1 Description of the mixture:

CAS No	EC No	INDEX No	REACH No	% [weight]	Name	Classification according to 67/548/EEC
497-19-8	207-838-8	011-005-00-2		97-99	Sodium Carbonate	Xi, R36, S2, S22, S26
Proprietary				1-3	Balancing Agent	

Section 4: First Aid Measures

4.1 Description of first aid measures

4.1.1 General information:

4.1.2 Eye contact:

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

4.1.3 Inhalation:

Move to fresh air. If not breathing administer CPR. If symptoms persist, call a physician.

4.1.4 Skin contact:

Wash off with soap and water. Remove and wash contaminated clothing before re-use. If symptoms persist, call a physician.

4.1.5 Ingestion:

Do not induce vomiting. If conscious, give 2 glasses of water or milk. Call a physician or Poison Control Center immediately.

4.1.6 Self-protection of the first aider:

4.1.7 Notes for the doctor:

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Cleaner

Product. No: NT-03/NT-20

Print date: 17OCT2011

Specification No:

Page 3 of 9

Revision date: 17OCT2011

Section 5: Firefighting measures

- 5.1 Extinguishing media:
 - 5.1.1 Suitable extinguishing media:
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
 - 5.1.2 Unsuitable extinguishing media:
None
- 5.2 Special hazards arising from the substance or mixture
 - 5.2.1 Hazardous combustion products:
Non-combustible
- 5.3 Advice for fire-fighters:
No special precautions required. Recommend SCBA and full protective clothing. Dike area to prevent runoff.
- 5.4 Additional information:

Section 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 - 6.1.1 For non-emergency personnel
Protective equipment:
Chemical resistant gloves
Emergency procedures:
Avoid dust formation.
 - 6.1.2 For emergency responders
Personal protective equipment:
Chemical resistant gloves, safety goggles, and in dusting conditions, use a NIOSH/MSHA approved dust mask.
- 6.2 Environmental precautions:
Do not flush into surface water or sanitary sewer system. Prevent any mixture with an acid into the sewer/drain.
- 6.3 Methods and material for containment and cleaning up
 - 6.3.1 For containment:
Sweep up and shovel into suitable containers for disposal.
 - 6.3.2 For cleaning up:
Keep in properly labeled containers. Keep in suitable, closed containers for disposal.
- 6.4 Additional information:

Section 7: Handling and storage

- 7.1 Precautions for safe handling
 - 7.1.1 Protective measures:
Ensure adequate ventilation. Keep away from incompatible products.
 - 7.1.2 Advice on general occupational hygiene
Ensure that eyewash stations and safety showers are close to the workstation location. When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday. Handle in accordance with good industrial hygiene and safety practice.

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Cleaner

Product. No: NT-03/NT-20

Print date: 17OCT2011

Specification No:

Page 4 of 9

Revision date: 17OCT2011

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Store in original container. Keep in a dry place. Keep in properly labeled containers. Keep container closed.
Keep away from incompatible products.

Packaging materials:

Polyethylene

Woven plastic material + PE

Storage class:

Class 13: Non-flammable solids in non-flammable package

7.3 Specific end uses:

7.3.1 Recommendations:

Foam air filter cleaner

7.3.2 Industrial sector specific solutions:

Section 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 Occupational exposure limits:

Limit value type (country of origin)	Substance name	EC-No.	CAS-No	Limit value	Monitoring and observation processes
PEL(US OSHA) TWA (US OSHA) PEL (US MSHA)	Sodium Carbonate	207-838-8	497-19-8	15 mg/m3 5 mg/m3 10 mg/m3	Total dust Resp fraction Total dust

8.2 Exposure controls

8.2.1 Appropriate engineering controls:

Provide appropriate exhaust ventilation at places where dust is formed. Apply technical measures to comply with the occupational exposure limits.

8.2.2 Personal protective equipment:

8.2.2.1 Eye/Face protection:

Wear safety goggles.

8.2.2.2 Skin protection:

Wear a dust impervious protective suit, rubber or plastic boots, rubber or plastic apron, and suitable gloves (suitable material: Neoprene, or Natural rubber).

8.2.2.3 Respiratory protection:

Effective dust mask. Recommended Filter type: P2

8.2.2.4 Thermal hazards:

8.2.3 Environmental exposure controls:

Dispose of rinse water in accordance with local and national regulations.

8.2.4 Consumer exposure control

8.2.4.1 Measures related to consumer uses of the substance (as such or in mixtures):

8.2.4.2 Measures related to the service life of the substance in articles:

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Cleaner

Product. No: NT-03/NT-20

Print date: 17OCT2011

Specification No:

Page 5 of 9

Revision date: 17OCT2011

Section 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

9.1.1 Appearance

Physical state: Solid Color: White, Granular Odor: Odorless Odor threshold:

9.1.2 Safety relevant basic data

pH (20 °C): 11.3 (1% Aqueous Solution); 11.6 (10% Aqueous Solution)

Melting point/range(°C): 851

Initial boiling point/range (°C): No Data

Decomposition temperature (°C): 400

Flash point (°C): No Data

Ignition temperature (°C): No Data

Vapor pressure (hPa) at °C: No Data

Vapor density (air = 1): No Data

Density (g/cm³) at 20 °C: >=2.52, <= 2.53

Bulk density (kg/m³): 768.06-1040.08

Water solubility (20°C in g/l): 7G/100G water

Solubility(ies): No Data

Partition coefficient: No Data

N-Octanol/Water (log Po/w): No Data

Viscosity, dynamic (mPa s): No Data

9.1.3 Physical hazards:

Eye, skin, and respiratory irritant

9.2 Other safety information:

Properties of explosive atmospheres (mixtures):

Gases and vapors: No Data

Dusts: No Data

Physical chemical properties of nanoparticles: No Data

Limiting oxygen concentration: No Data

Bulk density: 48-65 LBS/ft³

Solubility in different media: No Data

Stability in organic solvents and identity of relevant degradation products: No Data

Evaporation rate: No Data

Conductivity: No Data

Surface tension: No Data

Dissociation constant in water (pKa): No Data

Oxidation-reduction Potential: No Data

Fat solubility (solvent – oil to be specified): No Data

Critical temperature: No Data

Section 10: Stability and reactivity

10.1 Reactivity:

Decomposes by reaction with strong acids.

10.2 Chemical stability:

Stable under recommended storage conditions.

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Cleaner

Product. No: NT-03/NT-20

Print date: 17OCT2011

Specification No:

Page 6 of 9

Revision date: 17OCT2011

10.3 Possibility of hazardous reactions

None

10.4 Conditions to avoid:

Exposure to moisture.

10.5 Incompatible materials:

Finely divided aluminum, reacts with strong acids. Can react violently with Al, P₂O₅, H₂SO₄, F₂, Li and 2,4,6-Trinitrotoluene. Upon contact with reducing sugars, may react to form carbon monoxide gas.

10.6 Hazardous decomposition products:

None

Section 11: Toxicological Information

11.1 Information on toxicological effects:

	Effect dose / Concentration	Species	Method	Time
Acute oral toxicity	4090 mg/kg	Rat	LD50	
Acute dermal toxicity	>2000 mg/kg	Rabbit	LD50	
Acute inhalative toxicity (mist)	2300 mg/m ³ air	Rat	LC50	2 hours

11.2 Other information:

11.2.1 Assessment/classification

11.2.2 Routes of exposure:

11.2.3 In case of ingestion:

May cause burns of the mouth, throat, esophagus and diarrhea if large quantities are ingested.

11.2.3 In case of skin contact:

May cause skin irritation seen as redness and swelling. In the presence of moisture or sweat, may cause more severe irritation, including burns, following prolonged contact.

11.2.4 In case of inhalation:

May be irritating to the nose, throat, and respiratory tract.

11.2.5 In case of eye contact:

May cause eye irritation. No significant adverse effects expected.

Section 12: Ecological information

12.1 Toxicity:

Aquatic toxicity

12.1.1 Substances

Acute (short-term) toxicity

Effect dose	Exposure time	Species	Method	Evaluation	Remark
300 mg/L	96 Hours	Lepomis macrochirus	LC50	Mortality	
200 227 mg/L	48 Hours	Ceriodaphnia sp.	EC50	Mobility	

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Cleaner

Product. No: NT-03/NT-20

Print date: 17OCT2011

Specification No:

Page 7 of 9

Revision date: 17OCT2011

Section 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Product/package disposal:

Contact waste disposal services. If recycling is not practicable, dispose of in compliance with local regulations. Dilute with plenty of water. Neutralize with acid.

Where possible recycling is preferred to disposal or incineration. Clean container with water. Dispose of rinse water in accordance with local and national regulations. Must be incinerated in a suitable incineration plant holding a permit delivered by the competent authorities.

13.1.2 Waste codes/waste designations according to EWC/AVV:

20 01 30

13.1.3 Waste treatment options:

13.1.4 Other disposal recommendations:

Dispose of in accordance with local, State, and National regulations.

13.2 Additional information:

Section 14: Transport Information

14.1 Land transport (CFR 49: DOT)

This product is not regulated as a hazardous material by DOT standards.

UN-No:

Proper shipping name:

Class(es):

Packing group:

Hazard label(s)

Special provision(s):

14.2 Land Transport (Canada TDG)

This product is not regulated as a hazardous material by TDG standards.

UN-No:

Proper shipping name:

Class(es)

Packing group:

Hazard label(s)

Special provision(s)

14.3 Land transport (ADR/RID/GGVSEB):

This product is not regulated as a hazardous material by ADR standards.

UN-No:

Proper shipping name:

Class(es):

Classification Code:

Packing group:

Hazard label(s):

Special provision(s):

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Cleaner

Product. No: NT-03/NT-20

Print date: 17OCT2011

Specification No:

Page 8 of 9

Revision date: 17OCT2011

14.4 Sea transport (IMDG-Code/GGVSee):

This product is not regulated as a hazardous material by IMO standards.

UN No:

Proper shipping name:

Class(es):

Packing group:

Marine Pollutant:

Special provision(s):

14.5 Air transport (ICAO-IATA/DGR):

This product is not regulated as a hazardous material by IATA standards.

UN No:

Proper shipping name:

Class(es):

Packing group:


Special provision(s):

Section 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the mixture

15.1.1 National regulations(United States):

HMIS Code:



NEPA Code

Health	2
Flammability	0
Physical Hazard	0
	X

TSCA: All components are on the SU TSCA Inventory.

15.1.2 National regulations(EU):

EU Hazard Classification: Xi: Irritant

EU R-Statements: R36/37/38

EU S-Statements: S2, S22, S24/25

WGK (Water Danger/Protection)

Water Hazard Class: 1

15.1.3 National regulations(Canada):

This product has a WHMIS classification of D2B.

This product has been classified in accordance with the hazard criteria of the Controlled Products

Regulations and the MSDS contains all of the information required by those regulations.

Canadian Ingredient Disclosure List: All components are listed on the Canadian Ingredient Disclosure list.

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Cleaner

Product. No: NT-03/NT-20

Print date: 17OCT2011

Specification No:

Page 9 of 9

Revision date: 17OCT2011

Section 16: Other Information

16.1 Relevant R-, H- and EUH-phrases (number and full text):

R36: Irritating to eyes

R36/37/38: Irritating to eyes, respiratory system and skin

S2: Keep out of the reach of children

S22: Do not breathe dust

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S24/25: Avoid any inhalation, contact with skin and eyes. Wear suitable protective clothing and gloves.

H303: May be harmful if swallowed

H315: Causes skin irritation

H319: Causes serious eye irritation

H335: May cause respiratory irritation

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection

P305+P351+P338: If in eyes: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

P337+P313: Get medical advice/attention

16.2 Further information:

The information contained herein is believed to be accurate. It is provided independently of any sale of the product for the purpose of hazard communication. It is not intended to constitute performance information concerning the product. No Express warranty, or implied warranty of merchantability or fitness for a particular purpose is made to the product or the information contained herein.

NO TOIL

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Rim Grease

Product. No: NT-05/NT-06

Specification No:

Page 1 of 9

Print date: 18OCT2011

Revision date: 18OCT2011

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

1.1.1 Trade name/designation:

Rim Grease

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses:

Rim Grease

1.2.2 Uses advised against:

All others not specified above.

1.3 Details of the supplier

1.3.1 Supplier:

No-Toil Industries

1.3.2 Address:

1327 Harter Rd.

Yuba City, CA 95993

1.3.3 Phone:

(530)671-4645

1.4 Details of the Manufacturer

1.4.1 Manufacturer:

G.S. Polymers, Inc

1.4.2 Address:

195 Arovista Ave.

Brea, CA 92821

1.4.3 Phone:

(714)672-0567

1.5 Emergency Telephone Number

CHEMTREC: (800)424-9300

Section 2: Hazards identification

2.1 Classification of the substance or mixture:

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

Class 12: Non-flammable liquids in non-flammable packages

2.1.2 Classification according to 67/548/EEC or 1999/45/EC

Xi: Irritant

2.2 Label elements

2.2.1 Labeling according to Regulation (EC) No 1272/2008

Product identifier: No-Toil Rim Grease

Hazard pictograms:

Xi: Irritant



Signal word:

Caution!

Hazard statements:

H315: Causes skin irritation

H319: Causes eye irritation

H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335: May cause respiratory irritation

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Rim Grease

Product. No: NT-05/NT-06

Specification No:

Page 2 of 9

Print date: 18OCT2011

Revision date: 18OCT2011

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand

P264: Wash hands thoroughly after handling

P270: Do not eat, drink or smoke when using this product

P281: Use personal protective equipment as required.

2.3 Other hazards

Adverse human health effects and symptoms:

Product is a gray thixotropic paste with a vegetable oil odor. Product is not considered to be combustible.

May cause eye and skin irritation in sensitive individual. If heated product contacts the eye and/or skin, thermal burns may result.

Section 3: Composition/information on ingredients

3.1 Description of the mixture:

CAS No	EC No	INDEX No	REACH No	% [weight]	Name	Classification according to 67/548/EEC
8001-30-7	232-281-2			*	Vegetable Derived Oil(s)	S24/25
14807-96-6	238-877-9			*	Talc	
36443-68-2	253-039-2			Up to 1	Triethyleneglycol bis[3-(3-(tert-butyl-4-hydroxy-5-methylphenyl) propionate]	

* Significant amounts of these ingredients are present in this product, however the percentages of each component is proprietary information.

Section 4: First Aid Measures

4.1 Description of first aid measures

4.1.1 General information:

4.1.2 Eye contact:

Flush eyes with flooding amounts of cool, low pressure water for at least 15 minutes. If irritation persists, get medical attention. If hot product contacts eye, flush with water for at least 15 minutes and seek medical attention immediately.

4.1.3 Inhalation:

Move person to non-contaminated air. If affected person is not breathing, apply artificial respiration. Seek medical attention if symptoms persist.

4.1.4 Skin contact:

In case of skin contact, wash immediately with soap and water. If irritation develops or persists, get medical attention. If hot product contacts skin, cool under running water and get medical attention. Launder contaminated clothing before reuse.

4.1.5 Ingestion:

Not expected to be harmful. If swallowed in large amounts seek medical attention.

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Rim Grease

Product. No: NT-05/NT-06

Specification No:

Page 3 of 9

Print date: 18OCT2011

Revision date: 18OCT2011

Section 5: Firefighting measures

- 5.1 Extinguishing media:
 - 5.1.1 Suitable extinguishing media:
Carbon dioxide, dry chemical or water.
 - 5.1.2 Unsuitable extinguishing media:
Avoid using a direct stream of water as this may spread the fire.
- 5.2 Special hazards arising from the substance or mixture
 - 5.2.1 Hazardous combustion products:
Smoke, carbon monoxide, carbon dioxide, water, and other normal products of combustion.
- 5.3 Advice for fire-fighters:
Wear full protective clothing, including self-contained positive pressure/pressure demand breathing apparatus, helmet, and protective clothing. Use water spray to cool fire-exposed containers and to protect personnel.
- 5.4 Additional information:
This product is not considered combustible. If heated above its flash point in the presence of air, product can support combustion. If mist is generated, minimum flash point may be reduced.

Section 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 - 6.1.1 For non-emergency personnel
Protective equipment:
Neoprene gloves
 - 6.1.2 For emergency responders
Personal protective equipment:
Neoprene gloves, protective clothing, boots, and self-contained breathing apparatus
- 6.2 Environmental precautions:
Minimize entry of material into sewers and drainage systems.
- 6.3 Methods and material for containment and cleaning up
 - 6.3.1 For containment:
Refer to permit discharge limitations if applicable. Isolate spill area, preventing entry by unauthorized persons. Prevent skin/eye contact. Stop leak and contain material.
 - 6.3.2 For cleaning up:
Absorb spill with inert material (e.g., dry sand, earth). Place in an approved chemical waste container.

Section 7: Handling and storage

- 7.1 Precautions for safe handling
 - 7.1.1 Protective measures:
Although this material does not present a significant skin or eye concern, skin eye contact should be avoided as good industrial practice. Wearing of protective gloves and eye protection is recommended.
Wash hands and contaminated skin after handling.
 - 7.1.2 Advice on general occupational hygiene
Practice good personal hygiene after using this material, especially before eating, drinking, smoking, using toilet or applying cosmetics. Never eat, drink, or smoke in work areas.
- 7.2 Conditions for safe storage, including any incompatibilities
Store in a cool dry place from strong oxidizers and acids.
Storage class:
12: Non-flammable liquids in non-flammable packages
Further information on storage conditions:

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Rim Grease

Product. No: NT-05/NT-06

Specification No:

Page 4 of 9

Print date: 18OCT2011

Revision date: 18OCT2011

Section 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 Occupational exposure limits:

Limit value type (country of origin)	Substance name	EC-No.	CAS-No	Limit value	Monitoring and observation processes
TWA (US ACGIH) TWA (AU) TWA (BE) TWA (FN) TWA (DU) TWA (CH) TWA (CH) TWA (UK) TWA (UK)	Talc			2mg/m3 2.4mg/m3 2mg/m3 5mg/m3 2mg/m3 10mg/m3 2mg/m3 1mg/m3 10mg/m3	Total dust

8.2 Exposure controls

8.2.1 Appropriate engineering controls:

Provide local exhaust and general ventilation system to maintain airborne concentrations below OSHA, ACGIH, and manufacturer recommended exposure limits. Local exhaust ventilation is preferred because it prevents contaminant dispersion into work areas by controlling it at its source. Local exhaust ventilation is preferred because it prevents contaminant dispersion into work areas by controlling it at its source. Local exhaust ventilation is recommended when generating excessive levels of vapors from handling or thermal processing. Use local and general exhaust ventilation to effectively remove and prevent buildup of mist/vapors/fumes generated from the handling of this product.

8.2.2 Personal protective equipment:

8.2.2.1 Eye/Face protection:

Wear chemical goggles and face shield if splashing is possible. Ensure compliance with OSHA's personal protective equipment (PPE) standard for eye and face protection, 29 CFR 1910.133.

8.2.2.2 Skin protection:

Use impervious gloves. Work clothing sufficient to prevent all skin contact should be worn, such as coveralls and long sleeves. For heated/molten product, use any type thermal insulating gloves and other clothing as necessary to protect from thermal burns. Ensure compliance with OSHA's personal protective equipment (PPE) standard, 29CFR 1910.132 (general) and 138 (hand protection).

8.2.2.3 Respiratory protection:

GAS/VAPOR: Respirators should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respiratory standard (29 CFR 1910.134) and ANSI's standard for respiratory protection (Z88.2-1992). A written respiratory protection program, including provisions for medical certification, training, fit-testing, exposure assessments, maintenance, inspection cleaning, and convenient, sanitary storage, must be implemented. For concentrations above the TLV and/or PEL but less than 10 times these limits, a NIOSH approved half-piece respiratory equipped with appropriate chemical cartridges may be used. For concentrations greater than 10 times the TLV and/or PEL, consult the NIOSH respirator decision logic found in publication No. 87-116 or ANSI Z88.2-1992. Warning! Air-purifying respiratory do not protect workers in oxygen-deficient atmospheres.

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Rim Grease

Product. No: NT-05/NT-06

Specification No:

Page 5 of 9

Print date: 18OCT2011

Revision date: 18OCT2011

8.2.2.4 Other Precautions:

Eye wash fountains and emergency showers are recommended. Launder contaminated clothing before reuse. Use good industrial hygiene practices in handling this material.

Section 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

9.1.1 Appearance

Physical state: Paste Color: Gray Odor: Vegetable Oil Odor threshold:

9.1.2 Safety relevant basic data

pH (20 °C): No Data
Melting point/range(°C): No Data
Initial boiling point/range (°C): >371.11
Decomposition temperature (°C): No Data
Flash point (°C): >246.11
Ignition temperature (°C): No Data
Vapor pressure (hPa) at °C: No Data
Vapor density (air = 1): No Data
Density (g/cm³) at °C: No Data
Bulk density (kg/m³): No Data
Water solubility (20°C in g/l): Not Soluble
Solubility(ies): No Data
Partition coefficient: No Data
N-Octanol/Water (log Po/w): No Data
Viscosity, dynamic (mPa s): No Data

9.2 Other safety information:

Properties of explosive atmospheres (mixtures):

Gases and vapors: No Data

Dusts: No Data

Physical chemical properties of nanoparticles: No Data

Limiting oxygen concentration: No Data

Bulk density: No Data

Solubility in different media: No Data

Stability in organic solvents and identity of relevant degradation products: No Data

Evaporation rate: No Data

Conductivity: No Data

Surface tension: No Data

Dissociation constant in water (pKa): No Data

Oxidation-reduction Potential: No Data

Fat solubility (solvent – oil to be specified): No Data

Critical temperature: No Data

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Rim Grease

Product. No: NT-05/NT-06

Specification No:

Page 6 of 9

Print date: 18OCT2011

Revision date: 18OCT2011

Section 10: Stability and reactivity

10.1 Reactivity:

Not Reactive

10.2 Chemical stability:

Stable

10.3 Possibility of hazardous reactions

Will not occur

10.4 Conditions to avoid:

Strong oxidizing agents. Avoid prolonged contact with porous materials.

10.5 Incompatible materials:

This product may react with strong oxidizing agents.

10.6 Hazardous decomposition products:

None, except extreme high temperatures may lead to decomposition, releasing fumes containing carbon monoxide, carbon dioxide, water, trace sulfur oxides, and/or hydrocarbons of varying molecular weights.

Section 11: Toxicological Information

11.1 Information on toxicological effects:

Talc	Effect dose / Concentration	Species	Method	Time
Acute oral toxicity				
Acute dermal toxicity				
Acute inhalative toxicity (gas)	18mg/m3	Rat	TCLo	6 Hours
Acute inhalative toxicity (vapor)	11 mg/m3	Rat	TC	

11.2 Other information:

11.2.1 Assessment/classification

12: Non-flammable liquids in non-flammable packages

11.2.2 In case of ingestion:

Not expected to be harmful.

11.2.3 In case of skin contact:

Not expected to be harmful. May cause irritation in sensitive individuals.

11.2.4 In case of inhalation:

Not expected to be harmful at room temperature. Heating this product may release vapors. Inhalation of mists/vapors/fumes generated by heating this product may cause respiratory tract irritation with throat discomfort, coughing, and difficulty breathing.

11.2.5 In case of eye contact:

Product may cause eye irritation.

Section 12: Ecological information

No Data

12.1 Toxicity:

Aquatic toxicity

12.1.1 Substances

Acute (short-term) toxicity

Effect dose	Exposure time	Species	Method	Evaluation	Remark
LC50					
EC50					

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Rim Grease

Product. No: NT-05/NT-06

Specification No:

Page 7 of 9

Print date: 18OCT2011

Revision date: 18OCT2011

Section 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Product/package disposal:

Empty containers retain product residue; observe all precautions for. Do not heat or cut empty container with electric or gas torch because toxic vapors and gases are formed. Do not reuse without thorough commercial cleaning and reconditioning. If container is to be disposed, ensure all product residues are removed prior to disposal.

13.1.2 Waste codes/waste designations according to EWC/AVV:

16 03 06

13.2 Additional information:

Waste disposal should be in accordance with existing federal, state and local environment control laws.

Section 14: Transport Information

14.1 Land transport (CFR 49: DOT)

This product is not regulated as a hazardous material by DOT standards.

UN-No:

Proper shipping name:

Class (es):

Packing group:

Hazard label(s)

Special provision(s):

14.2 Land transport (ADR/RID/GGVSEB):

This product is not regulated as a hazardous material by ADR standards.

UN-No:

Proper shipping name:

Class (es):

Classification Code:

Packing group:

Hazard label(s):

Special provision(s):

14.3 Sea transport (IMDG-Code/GGVSee):

This product is not regulated as a hazardous material by IMO standards.

UN No:

Proper shipping name:

Class (es):

Packing group:

Marine Pollutant:

Special provision(s):

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Rim Grease

Product. No: NT-05/NT-06

Specification No:

Page 8 of 9

Print date: 18OCT2011

Revision date: 18OCT2011

14.4 Air transport (ICAO-IATA/DGR):

This product is not regulated as a hazardous material by IATA standards.

UN No:

Proper shipping name:

Class (es):

Packing group:

Special provision(s):

Section 15: Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the mixture

15.1.1 National regulations(United States):

To determine applicability or effects of any law or regulation with respect to the product, user should consult his legal advisor or the appropriate government agency. G.S. Polymers does not undertake to furnish advice on such matters.

United States Federal Regulations:

US EPA CERCLA Hazardous Substances (40 CFR302): Not Evaluated

SARA Section 311/312 Hazardous Categories:

Not Evaluated

US EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III:

Section 302 Extremely Hazardous Substance (40 CFR 355, Appendix A): Not Evaluated.

US EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA III Section 313 Toxic Chemicals (40 CFR 372.65)-Supplier Notification Required:

Not Evaluated

State Right-To-Know Information:

For details of regulatory requirement you should contact the appropriate agency in your state.

Massachusetts, New Jersey or Pennsylvania Right to Know Substance Lists:


Not Evaluated

New Jersey Environmental Hazardous Substances List and/or New Jersey, RTK Special Hazardous Substances List:

Not Evaluated

California Proposition 65: To the best of our knowledge, this product does not contain any of the listed chemical, which the state of California has found to cause cancer, birth defects or other reproductive harm.

HMIS Ratings:



Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Rim Grease

Product. No: NT-05/NT-06

Specification No:

Page 9 of 9

Print date: 18OCT2011

Revision date: 18OCT2011

15.1.2 National regulations(Canada):

This product does not meet the definition of any WHMIS classification.

15.1.3 National regulations(EU):

EU Classification: Xi: Irritant

EU Risk Phrases: R36/37/38

EU Safety Phrases: S2, S13, S24/25, S36, S63

Section 16: Other Information

16.1 Relevant R-, H- and EUH-phrases (number and full text):

R36/37/38: Irritating to eyes, respiratory system and skin

S2: Keep out of the reach of children

S13: Keep away from food, drink and animal feeding stuffs

S24/25: Avoid contact with skin and eyes

S36: Wear suitable protective clothing

S63: In case of accident by inhalation: remove casualty to fresh air and keep at rest

16.2 Further information:

The information contained herein is believed to be accurate. It is provided independently of any sale of the product for the purpose of hazard communication. It is not intended to constitute performance information concerning the product. No Express warranty, or implied warranty of merchantability or fitness for a particular purpose is made to the product or the information contained herein.

NO TOIL

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Specification No:

Page 1 of 10

Print date: 19OCT2011

Revision date: 19OCT2011

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product Identifier

1.1.1 Trade name/designation:

No-Toil Biodegradable Foam Filter Oil

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses:

Foam air filter oil

1.2.2 Uses advised against:

All others not listed above

1.3 Details of the supplier

1.3.1 Supplier:

No Toil Industries

1.3.2 US Address

1327 Harter Rd.

Yuba City, CA 95993

1.3.3 US Phone

(530)671-4645

1.4 Emergency Telephone Number

CHEMTREC: 1(800)424-9300

Section 2: Hazards identification

2.1 Classification of the substance or mixture:

2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP/GHS]

3A: Flammable liquid materials with a flashpoint below 55C

2.1.2 Classification according to 67/548/EEC or 1999/45/EC

Xi, F

2.1.3 Additional information:

2.2 Label elements

2.2.1 Labeling according to Regulation (EC) No 1272/2008

Product identifier: No-Toil Biodegradable Foam Filter Oil

Hazard pictograms:

Xi: Irritant



F: Highly Flammable



Signal word:

Warning!

Hazard statements:

H227

H316

H320

H333

H335

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Specification No:

Page 2 of 10

Print date: 19OCT2011

Revision date: 19OCT2011

Precautionary statements:

P101

P102

P233

P262

P270

P281

2.3 Other hazards

Adverse physicochemical effects:

Adverse human health effects and symptoms:

Eye Contact: Exposure can cause eye irritation. Symptoms may include stinging, tearing, redness and swelling.

Skin contact: Exposure may cause mild skin irritation. Prolonged or repeated exposure may dry the skin. Symptoms may include redness, burning, drying and cracking, and skin burns. Pre-existing skin disorders may be aggravated by exposure to this material. Skin absorption possible, but harmful effects are not expected from this route of exposure under normal conditions of handling and use.

Inhalation: Exposure to vapor or mist is possible. Short term inhalation toxicity is low. Breathing small amounts during normal handling is not likely to cause harmful effects; Breathing large amounts may be harmful. Symptoms of exposure may include:

Irritation (nose, throat, respiratory tract) pre-existing lung disorders e.g. Asthma-like conditions may be aggravated by exposure to this material.

Impaired coordination

Confusion

Central Nervous System Depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness)

Low blood pressure

Coma

Ingestion: Single dose oral toxicity is low, swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts may be harmful. Symptoms may include:

Gastrointestinal irritation (nausea, vomiting, diarrhea)

Impaired coordination

Central Nervous System depression

Respiratory depression

Low blood pressure

Effects on heart rate

Mild, reversible liver effects

Pulmonary edema

Adverse environmental effects:

Other adverse hazards:

Section 3: Composition/information on ingredients

3.1 Description of the mixture:

AS No	C	EC No	INDEX No	REACH No	% [weight]	Name	Classification according to 67/548/EEC
67-63-0		200-661-7			24	Iropropanol	Xi, F, R11, R36, R67, S16, S24/25, S26, S7
61788-89-4		500-148-0			70	Carboxylic Acid	

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Specification No:

Page 3 of 10

Print date: 19OCT2011

Revision date: 19OCT2011

Section 4: First Aid Measures

4.1 Description of first aid measures

4.1.1 Eye contact:

If symptoms develop, move individual away from exposure and into fresh air, flush eyes gently with water for at least 15 minutes while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

4.1.2 Inhalation:

If symptoms develop, immediately move individual away from exposure and into fresh air. Seek immediate medical attention; keep person warm and quiet. If person is not breathing, begin artificial respiration. If breathing is difficult, administer oxygen.

4.1.3 Skin contact:

Remove contaminated clothing; wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.

4.1.4 Ingestion:

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth. Place individual on the left side with the head down. If individual is conscious and alert, induce vomiting by giving syrup of ipecac or by gently placing two fingers at the back of the throat. If possible, do not leave individual unattended.

Section 5: Firefighting measures

5.1 Extinguishing media:

5.1.1 Suitable extinguishing media:

Alcohol foam, CO2, Dry Chemicals

5.1.2 Unsuitable extinguishing media:

Water may not be effective for fighting fires; water may be used to keep fire-exposed containers cool until fire is out.

5.2 Special hazards arising from the substance or mixture

5.2.1 Hazardous combustion products:

May form toxic materials; carbon dioxide and carbon monoxide.

5.3 Advice for fire-fighters:

Wear self contained breathing apparatus with a full facepiece operated in the positive pressure demand mode when fighting fires.

5.4 Additional information:

Never use welding or cutting torch on or near cases of product because product can ignite explosively.

Section 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Protective equipment:

Gloves, protective clothing

6.1.2 For emergency responders

Personal protective equipment:

Gloves, protective clothing, boots, respirator if necessary.

6.2 Environmental precautions:

Prevent run-off to sewers, streams and other bodies of water.

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Print date: 19OCT2011

Specification No:

Page 4 of 10

Revision date: 19OCT2011

6.3 Methods and material for containment and cleaning up

6.3.1 For containment:

Absorb liquid with absorbent material.

6.3.2 For cleaning up:

Dispose of waste in a properly marked container.

6.4 Additional information:

Follow all local, State, and Federal regulations.

Section 7: Handling and storage

7.1 Precautions for safe handling

7.1.1 Protective measures:

7.1.1.1 Fire preventions:

Keep away from any form of flame or extreme heat.

7.1.2 Advice on general occupational hygiene

Provide readily accessible eye wash stations & safety showers

Wash at end of each work shift & before eating, smoking, or using the toilet.

Promptly remove clothing that becomes contaminated. Destroy contaminated leather articles. Launder or discard contaminated clothing.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions:

Keep away from any form of flame or extreme heat.

Keep away from strong oxidizing agents, acids, chlorine, acetaldehyde, ethylene oxide, and Isocyanates.

Packaging materials:

Requirements for storage rooms and vessels:

Store in a cool environment away from extreme heat

Storage class:

3A: Flammable liquid materials (Flashpoint below 55 C)

Further information on storage conditions:

NO TOIL

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Print date: 19OCT2011

Specification No:

Page 5 of 10

Revision date: 19OCT2011

Section 8: Exposure controls/personal protection

8.1 Control parameters

8.1.1 Occupational exposure limits:

Limit value type (country of origin)	Substance name	EC-No.	CAS-No	Limit value	Monitoring and observation processes
TWA (AU) STEL (AU) TWA (BE) STEL (BE) TWA (DK) STEL (FR) TWA (DE) STEL (JP) TWA (NTH) TWA (PI) STEL (RU) TWA (SW) STEL (SW) TWA (CH) STEL (CH) TWA (TU) TWA (UK) STEL (UK)	Isopropanol	200-661-7	67-63-0	400 ppm 500 ppm 400 ppm 500 ppm 200 ppm 400 ppm 400 ppm 400 ppm 400 ppm 400 ppm 150 ppm 250 ppm 400 ppm 800 ppm 200 ppm 400 ppm 500 ppm	

8.2 Exposure controls

8.2.1 Appropriate engineering controls:

Provide adequate ventilation to maintain airborne levels below recommended exposure limits.

8.2.2 Personal protective equipment:

8.2.2.1 Eye/Face protection:

Use appropriate PPE to prevent splashing into eyes.

8.2.2.2 Skin protection:

Gloves (vinyl, Nitrile, Latex, ETC.) should be used if there will be direct contact with product.

8.2.2.3 Respiratory protection:

A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant a respirator's use.

8.2.2.4 Thermal hazards:

May form toxic materials; carbon monoxide and carbon dioxide

8.2.3 Environmental exposure controls:

Prevent from reaching ground water or waste water system.

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Print date: 19OCT2011

Specification No:

Page 6 of 10

Revision date: 19OCT2011

Section 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

9.1.1 Appearance

Physical state: Liquid Color: Red Odor: Slight Alcohol odor Odor threshold:

9.1.2 Safety relevant basic data

pH (20 °C): No Data

Melting point/range(°C): No Data

Initial boiling point/range (°C): 82.22 @760mm Hg

Decomposition temperature (°C): No Data

Flash point (°C): 20

Ignition temperature (°C): No Data

Vapor pressure (hPa): 33.00

Vapor density (air = 1): 2.07

Density (g/cm³)at °C: No Data

Bulk density (kg/m³): No Data

Water solubility (20°C in g/l): No Data

Solubility(ies): No Data

Partition coefficient: No Data

N-Octanol/Water (log Po/w): No Data

Viscosity, dynamic (mPa s): No Data

9.1.3 Physical hazards:

Flammable liquids

9.2 Other safety information:

Properties of explosive atmospheres (mixtures):

Gases and vapors: No Data

Dusts: No Data

Physical chemical properties of nanoparticles: No Data

Limiting oxygen concentration: No Data

Bulk density: No Data

Solubility in different media: No Data

Stability in organic solvents and identity of relevant degradation products: No Data

Evaporation rate: 7.70

Conductivity: No Data

Surface tension: No Data

Dissociation constant in water (pKa): No Data

Oxidation-reduction Potential: No Data

Fat solubility (solvent – oil to be specified): No Data

Critical temperature: No Data

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Specification No:

Page 7 of 10

Print date: 19OCT2011

Revision date: 19OCT2011

Section 10: Stability and reactivity

- 10.1 Reactivity:
Not Reactive
- 10.2 Chemical stability:
Stable
- 10.3 Possibility of hazardous reactions
Will not occur
- 10.4 Conditions to avoid:
Do not use with aluminum equipment at temperature above 120F.
- 10.5 Incompatible materials:
Strong oxidizing agents, acids, chlorine, acetaldehyde, ethylene oxide, and isocyanates
- 10.6 Hazardous decomposition products:
May form toxic materials; carbon dioxide and carbon monoxide.

Section 11: Toxicological Information

11.1 Information on toxicological effects:

	Effect dose / Concentration	Species	Method	Time
Acute oral toxicity	3600 mg/kg	Mouse	LD50	
Acute dermal toxicity	12800 mg/kg	Rabbit	LD50	
Acute inhalative toxicity (gas)				
Acute inhalative toxicity (vapor)				
Acute inhalative toxicity (dust/mist)				

11.2 Other information:

11.2.1 Assessment/classification

Class 3A: Flammable liquid materials with a flashpoint below 55 C

11.2.2 Routes of exposure:

Absorbed through skin, dermal contact, eye contact, and inhalation

11.2.3 In case of ingestion:

Single dose oral toxicity is low, swallowing small amounts during normal handling is not likely to cause harmful effects; swallowing large amounts may be harmful. Symptoms may include:

Gastrointestinal irritation (Nausea, vomiting, diarrhea)

Impaired coordination

Central Nervous System depression

Respiratory depression

Low blood pressure

Effects on heart rate

Mild, reversible liver effects

Pulmonary edema

11.2.3 In case of skin contact:

Exposure may cause mild skin irritation. Prolonged or repeated exposure may dry the skin. Symptoms may include redness, burning, drying and cracking and skin burns. Pre-existing skin disorders may be aggravated by exposure to this material. Skin absorption possible, but harmful effects are not expected from this route of exposure under normal conditions of handling and use.

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Specification No:

Page 8 of 10

Print date: 19OCT2011

Revision date: 19OCT2011

11.2.4 In case of inhalation:

Exposure to vapor or mist is possible. Short term inhalation toxicity is low. Breathing small amounts during normal handling is not likely to cause harmful effects: breathing large amounts may be harmful. Symptoms of exposure may include:

Irritation (nose, throat, respiratory tract) pre-existing lung disorders e.g. asthma-like conditions may be aggravated by exposure to this material.

Impaired coordination

Confusion

Central Nervous System depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness)

Low blood pressure

Coma

11.2.5 In case of eye contact:

Exposure can cause eye irritation. Symptoms may including stinging, tearing, redness and swelling.

Section 12: Ecological information

12.1 Toxicity:

Aquatic toxicity

When spilled this product may act as an oil, causing a film, sheen, emulsion, or sludge at or beneath the surface of a body of water.

12.1.1 Substances

Acute (short-term) toxicity

Effect dose	Exposure time	Species	Method	Evaluation	Remark
100000 mg/L	96 Hours	Fathead Minnow	LC50		
			EC50		
			IC50		

Section 13: Disposal considerations

13.1 Waste treatment methods

13.1.1 Water Hazard Class:

WGK 2

13.1.2 Waste codes/waste designations according to EWC/AVV:

16 01 99

13.2 Additional information:

Dispose of in a manner consistent with Federal, State, and Local regulations.

Section 14: Transport Information

14.1 Land transport (CFR 49: DOT)

Containers less than 2 liters are considered a Consumer Commodity (ORM-D)

Larger than 2 liters are as follows:

UN-No: UN1219

Proper shipping name: Isopropanol Solution

Class (es): 3

Packing group: II

Hazard label(s): 3

Special provision(s): IB2, T4, TP1

Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Specification No:

Page 9 of 10

Print date: 19OCT2011

Revision date: 19OCT2011

14.2 Land transport (ADR/RID/GGVSEB):
UN-No: UN1219
Proper shipping name: Isopropanol Solution
Class (es): 3
Classification Code: F1
Packing group: II
Hazard label(s): 3
Special provision(s): 601

14.3 Sea transport (IMDG-Code/GGVSee):
UN No: UN1219
Proper shipping name: Isopropanol Solution
Class (es): 3
Packing group: II
Marine Pollutant: No
Special provision(s): -

14.4 Air transport (ICAO-IATA/DGR):
UN No: UN1219
Proper shipping name: Isopropanol Solution
Class (es): 3
Packing group: II
Special provision(s): A180

Section 15: Regulatory Information


15.1 Safety, health and environmental regulations/legislation specific for the mixture

15.1.1 National regulations(United States):
OSHA: Hazardous by definition of hazard communication standard (29 CFR 1920.1200)
TSCA:
The components of this product are listed on the TSCA inventory.
None of the chemicals are listed under TSCA Section 12b
CERCLA Hazardous substances and corresponding RQs
None of the chemicals in this material have an RQ
SARA Section 302 Extremely Hazardous Substances:
None of the chemicals in this product have a TPQ
SARA Codes
Isopropanol: Acute, chronic, flammable

STATE:

Isopropanol can be found on the following state right to know lists: California, New Jersey, Pennsylvania, Minnesota, Massachusetts.

HMIS:



Safety Data Sheet

According to Regulation (EC) No 1907/2006 (REACH)

Trade name: No-Toil Biodegradable Foam Filter Oil

Product. No: NT-201/NT-218

Print date: 19OCT2011

Specification No:

Page 10 of 10

Revision date:

19OCT2011

15.1.2 National regulations(EU):

EINECS: This product is on the European inventory of existing commercial chemical substances.

EU Classification: Xi, F

EU Risk Phrases: R11, R36

EU Safety Phrases: S16, S24/25, S26, S7

15.1.3 National regulations(Canada):

Class B2: flammable liquid with flash point lower than 37.8 C.

Class D-2b: Material causing other toxic effects

Section 16: Other Information

16.1 Relevant R-, H- and EUH-phrases (number and full text):

Hazard statements:

H227: Combustible liquid

H316: Causes mild skin irritation

H320: Causes eye irritation

H333: May be harmful if inhaled

H335: May cause respiratory irritation

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

P233: Keep container tightly closed

P262: Do not get in eyes, on skin, or on clothing

P270: Do not eat, drink or smoke when using this product

P281: Use personal protective equipment as required

R-Phrases

R11: Highly flammable

R36: Irritating to eyes

S-Phrases

S7: Keep container tightly closed

S16: Keep away from sources of ignition – No smoking

S24/25: Avoid contact with skin and eyes

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

16.2 Further information:

The information contained herein is believed to be accurate. It is provided independently of any sale of the product for the purpose of hazard communication. It is not intended to constitute performance information concerning the product. No Express warranty, or implied warranty of merchantability or fitness for a particular purpose is made to the product or the information contained herein.