



# Material Safety Data Sheet

## TRANSOIL 10W30

3141

Version nr : 1.01

Revised : 24/08/2005

Supersedes : 26/05/2003

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

#### Product Information

Commercial Product Name

TRANSOIL 10W30

Product code

3146

3141

Use of the Substance/Preparation

Multipurpose Lubricant for Farming machines

#### Manufacturer, importer, supplier

Supplier

MOTUL - Regulation Departement  
Zone Industrielle - Chemin du Corps de Garde  
77360 VAIRES SUR MARNE - FRANCE

Telephone

33.1.64.72.86.23

Telefax

33.1.64.72.86.28

**EMERGENCY TELEPHONE NUMBER**

**ORFILA : 33.1.45.42.59.59**

Responsible Department

Health and Safety Department

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Identification of the preparation

Hazardous components

Weight %

CAS-No.

EINECS-No.

Polyolefine succinimide polyamine -Polyol  
R53

< 1,5

conf

conf

Calcium Alkyl phenate  
R53

< 1,5

-

291-829-9

Dithiophosphate alkyle de zinc  
Xi,R41,N,R51/53

< 1

-

272-028-3

Calcium Alkaryl sulfonate  
Xi,R43,R53

< 1

-

271-877-7

### 3. HAZARDS IDENTIFICATION

#### EC Label

Specific hazards

- physico-chemical properties
- properties affecting health
- environmental properties

The product contains no substances known to be hazardous to health in concentrations which need to be taken into account.

none under normal use

No hazards resulting from material as supplied.

None known

Ecological injuries are not known or expected under normal use.

### 4. FIRST AID MEASURES

General advice

In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

- Inhalation

Move to fresh air.

- Eye contact

If symptoms persist, call a physician.

Rinse immediately with plenty of water, also under the eyelids.

- Skin contact

Consult a physician if necessary

Take off all contaminated clothing immediately.

Wash off immediately with soap and plenty of water.

MOTUL

119, bd Félix Faure

B.P. 94

93303 Aubervilliers Cedex

France

phone : 0033.1.48.11.70.00

fax : 0033.1.48.33.28.79

Email : mmanno@motul.fr

Page : 1 / 5

Pollux6®



# Material Safety Data Sheet

|                                                                 |                                                                                                                                                                                                                                                                                                                                                                                                 |
|-----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>TRANSOIL 10W30</b>                                           |                                                                                                                                                                                                                                                                                                                                                                                                 |
| 3141                                                            | Version nr : 1.01                                                                                                                                                                                                                                                                                                                                                                               |
|                                                                 | Revised : 24/08/2005<br>Supersedes : 26/05/2003                                                                                                                                                                                                                                                                                                                                                 |
| - Ingestion                                                     | Clean mouth with water and drink afterwards plenty of water.<br>Do not induce vomiting without medical advice.                                                                                                                                                                                                                                                                                  |
| <b>5. FIRE-FIGHTING MEASURES</b>                                |                                                                                                                                                                                                                                                                                                                                                                                                 |
| - Suitable extinguishing media                                  | dry powder<br>foam<br>carbon dioxide (CO2)                                                                                                                                                                                                                                                                                                                                                      |
| - Extinguishing media which must not be used for safety reasons | high volume water jet                                                                                                                                                                                                                                                                                                                                                                           |
| - Specific hazards                                              | Incomplete combustion produces toxic gases, such as CO, CO2, various forms of hydrocarbons, aldehydes etc., and soots. Inhalation is extremely dangerous.                                                                                                                                                                                                                                       |
| - Specific methods                                              | In the event of fire, wear self-contained breathing apparatus.                                                                                                                                                                                                                                                                                                                                  |
| - Under fire conditions:                                        | Dispose of promptly.                                                                                                                                                                                                                                                                                                                                                                            |
| <b>6. ACCIDENTAL RELEASE MEASURES</b>                           |                                                                                                                                                                                                                                                                                                                                                                                                 |
| Personal precautions                                            | Depending on the risk of exposure, wear gloves, goggles, and protective clothing.                                                                                                                                                                                                                                                                                                               |
| Environmental precautions                                       | Choose body protection according to the amount and concentration of the dangerous substance at the work place.<br>Do not let product enter drains.<br>Local authorities should be advised if significant spillages cannot be contained.                                                                                                                                                         |
| Methods for cleaning up                                         | For environmental protection remove and wash all contaminated protective equipment before re-use.<br>Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).<br>Contaminated surfaces will be extremely slippery.<br>Prevent product from entering drains.<br>Use personal protective equipment.<br>Shovel into suitable container for disposal. |
| <b>7. HANDLING AND STORAGE</b>                                  |                                                                                                                                                                                                                                                                                                                                                                                                 |
| Handling                                                        |                                                                                                                                                                                                                                                                                                                                                                                                 |
| - Technical measures/Precautions                                |                                                                                                                                                                                                                                                                                                                                                                                                 |
| - Safe handling advice                                          | Provide sufficient air exchange and/or exhaust in work rooms.<br>Avoid contact with skin and eyes.                                                                                                                                                                                                                                                                                              |
| Storage                                                         |                                                                                                                                                                                                                                                                                                                                                                                                 |
| - Technical measures/Storage conditions                         | Use only receptacles, joints, pipes, etc, which are resistant to hydrocarbons.<br>Keep containers tightly closed in a dry, cool and well-ventilated place.<br>Do not let product enter drains.<br>Keep at temperatures between ... and ... °C.<br>Keep away from food, drink and animal feeding stuffs.<br>Keep out of reach of children.<br>Do not smoke.<br>Store in original container.      |

**MOTUL**  
119, bd Félix Faure  
B.P. 94  
93303 Aubervilliers Cedex  
France

phone : 0033.1.48.11.70.00  
fax : 0033.1.48.33.28.79  
Email : mmanno@motul.fr

Page : 2 / 5

Pollux6®©



# Material Safety Data Sheet

|                                                                                                                                                                     |  |                                                                                                                                                                                                                                   |                |                                                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-------------------------------------------------|
| 3141                                                                                                                                                                |  | Version nr : 1.01                                                                                                                                                                                                                 | TRANSOIL 10W30 | Revised : 24/08/2005<br>Supersedes : 26/05/2003 |
| - Incompatible products                                                                                                                                             |  | Keep in a banded area.<br>Incompatible with oxidising agents.                                                                                                                                                                     |                |                                                 |
| 8. EXPOSURE CONTROLS / PERSONAL PROTECTION                                                                                                                          |  |                                                                                                                                                                                                                                   |                |                                                 |
|   |  |                                                                                                                                                                                                                                   |                |                                                 |
| <b>Personal protective equipment</b>                                                                                                                                |  |                                                                                                                                                                                                                                   |                |                                                 |
| <i>Respiratory protection</i>                                                                                                                                       |  | Breathing apparatus needed only when aerosol or mist is formed.                                                                                                                                                                   |                |                                                 |
| <i>Hand protection (EN 420, EN 374-3)</i>                                                                                                                           |  | protective gloves<br>Glove material : nitrile rubber<br>Layer thickness : 0,11 mm<br>Breakthrough time : > 480 Min.                                                                                                               |                |                                                 |
| <i>Eye protection (EN 166)</i>                                                                                                                                      |  | safety glasses                                                                                                                                                                                                                    |                |                                                 |
| <i>Skin and body protection (DIN - EN 465)</i>                                                                                                                      |  | As required, wear a face mask, fluid-proof protective clothing, and safety boots (when handling drums)<br>Don't wear ring, watch or similar thing which will be able to hold the product and may give rise to some skin diseases, |                |                                                 |
| Hygiene measures                                                                                                                                                    |  | Avoid contact with the skin and the eyes.<br>Handle in accordance with good industrial hygiene and safety practice.<br>Take off all contaminated clothing immediately.<br>When using do not eat or drink.                         |                |                                                 |
| Form                                                                                                                                                                |  | liquid                                                                                                                                                                                                                            |                |                                                 |
| Colour                                                                                                                                                              |  | amber                                                                                                                                                                                                                             |                |                                                 |
| pH                                                                                                                                                                  |  | Not applicable                                                                                                                                                                                                                    |                |                                                 |
| Flash point                                                                                                                                                         |  |                                                                                                                                                                                                                                   |                |                                                 |
| open cup                                                                                                                                                            |  | 238 °C ASTM D 92                                                                                                                                                                                                                  |                |                                                 |
| Water solubility                                                                                                                                                    |  | insoluble                                                                                                                                                                                                                         |                |                                                 |
| Solubility in other solvents                                                                                                                                        |  | Soluble in hydrocarbons<br>soluble                                                                                                                                                                                                |                |                                                 |
| Viscosity                                                                                                                                                           |  | 80 mm <sup>2</sup> /s 40°C ASTM D 445                                                                                                                                                                                             |                |                                                 |
| Explosion limits                                                                                                                                                    |  | not applicable                                                                                                                                                                                                                    |                |                                                 |
| Specific gravity                                                                                                                                                    |  | 870 kg/m <sup>3</sup> 15°C ISO 12185                                                                                                                                                                                              |                |                                                 |
| 10. STABILITY AND REACTIVITY                                                                                                                                        |  |                                                                                                                                                                                                                                   |                |                                                 |
| Stability                                                                                                                                                           |  | Stable at normal conditions                                                                                                                                                                                                       |                |                                                 |
| Materials to avoid                                                                                                                                                  |  | Incompatible with oxidising agents.                                                                                                                                                                                               |                |                                                 |
| Hazardous decomposition products                                                                                                                                    |  | Incomplete combustion produces toxic gases, such as CO, CO <sub>2</sub> , various forms of hydrocarbons, aldehydes etc., and soots. Inhalation is extremely dangerous.                                                            |                |                                                 |

**MOTUL**  
119, bd Félix Faure  
B.P. 94  
93303 Aubervilliers Cedex  
France

phone : 0033.1.48.11.70.00  
fax : 0033.1.48.33.28.79  
Email : mmanno@motul.fr

Page : 3 / 5

Pollux6®©



# Material Safety Data Sheet

## TRANSOIL 10W30

3141

Version nr : 1.01

Revised : 24/08/2005

Supersedes : 26/05/2003

### 11. TOXICOLOGICAL INFORMATION

#### Local effects

The following toxicological data shown are those obtained from tests on products of similar composition in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 1994.

#### Acute toxicity

Health injuries are not known or expected under normal use.

#### Ingestion

Weakly toxic

#### Eye contact

Mild eye irritation

#### Skin contact

Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin.

#### Inhalation

Inhalation of vapours may cause irritation of the respiratory system in very susceptible persons.

#### Chronic toxicity

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

### 12. ECOLOGICAL INFORMATION

#### Mobility

Soil : In consideration of its physical and chemical characteristics, the product has only slight mobility in the soil.  
Water : Insoluble, the product spreads over the surface of the water.  
Do not flush into surface water or sanitary sewer system.

#### Aquatic toxicity

#### Ecotoxicity effects

no data available

### 13. DISPOSAL CONSIDERATIONS

#### Waste from residues / unused products

Send to an approved Waste Collector  
Collect all waste in suitable and labelled containers and dispose of in compliance with licence from HMIP issued under sections 6 & 7 of the Radioactive Substances Act 1960.

#### Contaminated packaging

Do not flush into surface water or sanitary sewer system.  
Where possible recycling is preferred to disposal or incineration.  
The user's attention is drawn to the possible existence of local regulations regarding disposal.

#### EWC waste disposal No: NOTE

Send to an approved Waste Collector  
In accordance with local and national regulations.  
130202 - non-chlorinated engine, gear and lubricating oils  
"Avis relatif à la nomenclature ds déchets du 11/11/1997"

### 14. TRANSPORT INFORMATION

#### Land transport

#### Class

not regulated

#### Sea transport

#### Class

not regulated

#### Air transport

#### Class

not regulated

### 15. REGULATORY INFORMATION

#### MOTUL

119, bd Félix Faure

B.P. 94

93303 Aubervilliers Cedex  
France

phone : 0033.1.48.11.70.00

fax : 0033.1.48.33.28.79

Email : mmanno@motul.fr

Page : 4 / 5

Pollux6®



# Material Safety Data Sheet

## TRANSOIL 10W30

3141

Version nr : 1.01

Revised : 24/08/2005

Supersedes : 26/05/2003

### EC Label

The product contains no substances classified as hazardous to health in concentrations which should be taken into account according to EC directive.

### Special regulations on certain preparations

This product contains - Calcium Alkaryl sulfonate  
May produce an allergic reaction.

### France

This safety data sheet complies with the recommendations of European Community and French regulations.  
Contact your local branch for adaptation to specific national requirements.

-

36

## 16. OTHER INFORMATION

### 16. Other information

This dossier supplements the technical notifications for use, but does not replace them. The information which it contains is based on our knowledge relating to the product in question on the date indicated.

The information is given in good faith. The user's attention is also drawn to possible risks incurred if a product is employed for uses other than those for which it was designed. The information dossier does not, under any circumstances, discharge the user from the obligation of being aware of, and of applying, all the texts which govern his sphere of activity. He shall be solely responsible for taking the precautions associated with the use which he makes of the product. All the statutory provisions referred to are intended simply to assist the recipient in fulfilling the obligations incumbent upon him. This enumeration must not be considered to be exhaustive. The recipient must ensure that no obligations are incumbent upon him, as a result of texts other than those cited, relating to the holding and handling of the product, for which he alone is responsible.

Text of R phrases mentioned in Section 2

R41 - Risk of serious damage to eyes.

R43 - May cause sensitization by skin contact.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R53 - May cause long-term adverse effects in the aquatic environment.

This data sheet conforms to standards defined by directives 2001/58/CE  
Data sheet prepared by MOTUL.

IMPORTANT: The information in this Data Sheet applies only to the products designated herein and produced or supplied by us. It is based on our experience and on the data available to us at the time of its issue and is accurate to the best of our knowledge.

MOTUL

119, bd Félix Faure

B.P. 94

93303 Aubervilliers Cedex  
France

phone : 0033.1.48.11.70.00

fax : 0033.1.48.33.28.79

Email : mmanno@motul.fr

Page : 5 / 5

Pollux6®©