

SAFETY DATA SHEET

OSHA HCS (29 CFR 1910.1200)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Chemical Name Mixture
Product Name / Trade Name Helix 5-in-1
CAS No. Mixture

Relevant identified uses of the substance or mixture and uses advised against

Identified Use(s) Fuel additive
Uses Advised Against None

Details of the supplier of the safety data sheet

Name of Supplier Helix Racing Products

2023 Philip Dr.; Suite D Covington, LA 70433

Telephone 1-985-875-9192

Distributor Rumble Bee Distribution, LLC

3811 Chartres Street

New Orleans, Louisiana 70117 United States of America

Telephone 1-877-866-2766

Emergency telephone number ChemTel (24 hr.): 1-800-255-3924

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

OSHA HCS (29 CFR 1910.1200)

Flam. Liq. 3; Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; STOT SE 1; STOT SE 3

Label elements

Hazard Symbol



Signal Word(s)

Hazard Statement(s)

H226: Flammable liquid and vapor.

H302: Harmful if swallowed.

H315: Causes skin irritation.

H318: Causes serious eye damage.
H335: May cause respiratory irritation.

H336: May cause drowsiness or dizziness.

H370: Causes damage to organs: Optic nerve (nervus opticus), central nervous

system

Date: February 26, 2016 Page: 1/9



Precautionary Statement(s)

Prevention P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P260: Do not breathe dust/fume/gas/mist/vapours/spray.

P264: Wash (hands and exposed skin) thoroughly after handling.

P272: Contaminated work clothing should not be allowed out of the workplace.

P270: Do not eat, drink or smoke when using this product.

Response P303 + P361 + P353: IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower. P333+P313: If skin irritation or rash occurs: Get medical advice/attention. P363: Wash contaminated clothing before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P315: Get immediate medical advice/attention.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you

feel unwell. Treat symptomatically.

P304 + P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. If breathing is laboured, administer oxygen. If symptoms persist, obtain

medical attention.

Storage P403+P233: Store in a well-ventilated place. Keep container tightly closed.

Disposal P501: Disposal should be in accordance with local, state or national legislation.

Other hazards None Additional Information None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Composition/information on ingredients	%W/W	CAS No.	Hazard Statement(s)
			Acute Tox. 4; H302
2-butoxyethanol	< 40	111-76-2	Skin Irrit. 2; H315
2-butoxyetriarior	\ 4 0	111-70-2	Eye Irrit. 2; H319
			Flam. Liq. 4; H227
			Skin Irrit. 2; H315
Butan-1-ol	< 40	71-36-3	Eye Dam. 1; H318
Butaii-1-0i			STOT SE 3; H335, H336
			Flam. Liq. 3; H226
	< 20	67-56-1	Acute Tox. 3; H301, H311, H331
Methanol			STOT SE 1; H370
			Flam. Liq. 2; H225
			Acute Tox. 3; H311
			Acute Tox. 4; H302
Morpholine	< 10	110-91-8	Skin Corr. 1A; H314
			Eye Dam. 1; H318
			Flam. Liq. 3; H226

Date: February 26, 2016 Page: 2/9



For full text of H phrases see section 16.

Additional Information - None

SECTION 4: FIRST AID MEASURES



Description of first aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing.

If breathing is labored, administer oxygen. If symptoms persist, obtain medical

attention.

Skin Contact Take off immediately all contaminated clothing. Rinse skin with water/shower. If

irritation (redness, rash, blistering) develops, get medical attention. Wash

contaminated clothing before reuse.

Eye Contact Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get immediate medical advice/attention.

Ingestion Call a POISON CENTER or doctor/physician if you feel unwell. Treat

symptomatically.

Most important symptoms and effects,

both acute and delayed

May cause an allergic skin reaction.

Indication of any immediate medical attention and special treatment needed

None anticipated.

SECTION 5: FIRE-FIGHTING MEASURES

Extinguishing Media

-Suitable Extinguishing Media Extinguish with water spray, dry chemical, sand or carbon dioxide.

-Unsuitable Extinguishing Media None anticipated.

Special hazards arising from the substance or

mixture

None anticipated.

Advice for fire-fighters Fire fighters should wear complete protective clothing including self-

contained breathing apparatus.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Eliminate all ignition sources if safe to do so. Put on protective equipment before entering danger area. Wear protective gloves/protective clothing/eye protection/face protection. In case of inadequate ventilation wear respiratory

protection.

Environmental precautions Contain spillages with sand, earth or any suitable adsorbent material. Do not

allow to enter drains, sewers or watercourses.

Methods and material for containment and

cleaning up

Contain spillages with sand, earth or any suitable adsorbent material. Transfer to a container for disposal or recovery. Wash the spillage area with water. If

possible prevent water running into sewers.

Date: February 26, 2016 Page: 3/9



Reference to other sections Additional Information None None

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Use only non-sparking tools. Use explosion-proof electrical / ventilating / lighting / equipment. Take precautionary measures against static discharge. Ground/bond container and receiving equipment. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed skin after use. Do not breathe dust / fume / gas / mist / vapors / spray. Contaminated work clothing should not be allowed out of the workplace. Work in well ventilated zones or use proper respiratory protection.

Conditions for safe storage, including any incompatibilities

-Storage temperature Store at room temperature. Keep container tightly closed and in a well-ventilated place.

-Incompatible materials Strong oxidising agents.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Occupational Exposure Limits

		(8hr TWA)		(STEL)		
SUBSTANCE.	CAS No.	PEL (OSHA)	TLV (ACGIH)	PEL (OSHA)	TLV (ACGIH)	Note:
2-butoxyethanol	111-76-2	50 ppm	20 ppm			skin
Butan-1-ol	71-36-3	100 ppm	20 ppm			
Methanol	67-56-1	200 ppm	200 ppm		250 ppm	skin
Morpholine	110-91-8	20 ppm	20 ppm			skin

⁻ STEL: Short Term Exposure Limit

Exposure controls

Appropriate engineering controls Work in well ventilated zones or use proper respiratory protection.

Personal protection equipment

Eye/face protection Wear protective eyewear (goggles, face shield, or safety glasses).



Skin protection (Hand protection/ Other)





Gloves. Check with protective equipment manufacturer's data. Gloves should be changed regularly to avoid permeation problems.

Date: February 26, 2016 Page: 4/9



Respiratory protection



Specific Gravity

In case of inadequate ventilation wear respiratory protection. Air-purifying respirator with organic vapor cartridges may provide sufficient protection. Check with protective equipment manufacturer's data.

 0.85 ± 0.05

Thermal hazards Not normally required.

Environmental Exposure ControlsDo not allow to enter drains, sewers or watercourses.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Liquid
Color. Yellow
Odor Ether-like
Odor Threshold (ppm) 0.011 ppm
pH (Value) Not available
Melting Point (°C) / Freezing Point (°C) Not available

Melting Point (°C) / Freezing Point (°C) Not available
Boiling point/boiling range (°C): 123 (253.5 °F)
Flash Point (°C) 40.5 (105 °F)
Evaporation Rate (Butylacetate=1) 0.41

Flammability (solid, gas)

Not applicable.

Explosive Limit Ranges UEL: 10.6% LEL:1.1 %

Vapour pressure (mmHg) 4.0 Vapour Density (Air=1) 2.71

Density (g/ml) 0.85 ± 0.05 (7.09 lb/gal)

Solubility (Water)

Solubility (Other)

Partition Coefficient (n-Octanol/water)

Auto Ignition Point (°C)

Decomposition Temperature (°C)

Not available

Not available

Decomposition Temperature (°C)

Kinematic Viscosity (cSt)

Explosive properties

Oxidizing properties

Not available

Not explosive.

Not oxidizing.

Other information Not available.

SECTION 10: STABILITY AND REACTIVITY

Reactivity Stable under normal conditions.

Chemical stability Stable.

Possibility of hazardous reactionsNot to be expected.Conditions to avoidIncompatible materials.Incompatible materialsStrong oxidising agents.

Hazardous decomposition product(s)

Combustion or thermal decomposition will evolve toxic and irritant

vapours; acrid smoke.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes: Inhalation, Skin Contact, Eye Contact

Date: February 26, 2016 Page: 5/9



Methanol (CAS# 67-56-1)

Acute toxicity * LD50 (oral, monkey): 7000 mg/kg-bw

LD0 (oral, rat): ≥ 2528 mg/kg-bw LC50 (inhal., cat, 6-hours): 43.68 mg/L LC50 (inhal., monkey, 4-hours): 52 mg/L Ingestion may damage the optic nerve. May cause dizziness and drowsiness.

IrritationMay cause eye irritation.SensitisationIt is not a skin sensitiser.

Repeated dose toxicityNOAEC (2-yr. inhal., mouse): ≥ 1.3 mg/LDevelopmental ToxicityNegative. Not a specific developmental toxin.Toxicity for reproductionNegative. Not a specific reproductive toxin.

Mutagenicity Negative

Carcinogenicity Not to be expected.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Other information * ATE (oral) = 100 mg/kg

* ATE (dermal) = 300 mg/kg * ATE (inhalation) = 3 mg/L

2-butoxyethanol (CAS# 111-76-2)

Acute toxicity Oral: LD50: > 1200 mg/kg (Guinea pig)

Dermal: LD50: >2000 mg/kg (rat)

Irritation Causes irritation to eyes and skin.

Sensitisation It is not a skin sensitiser.

Repeated dose toxicity

Not to be expected. NOAEL(oral): (91day), rat, male <69 mg/kg/day

Developmental ToxicityNegative. Not a specific developmental toxin.Toxicity for reproductionNegative. Not a specific reproductive toxin.

Mutagenicity Negative

Carcinogenicity Not to be expected.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Other information None

Morpholine (CAS# 110-91-8)

Acute toxicity Oral: LD50: 1900 mg/kg (Guinea pig)

Dermal: LD50: 500 mg/kg (rat)

Irritation Causes irritation to eyes and skin.

Sensitisation It is not a skin sensitiser.

Repeated dose toxicity

Not to be expected. NOAEL(oral): (91day), rat, male <69 mg/kg/day

Developmental Toxicity

Negative. Not a specific developmental toxin.

Date: February 26, 2016 Page: 6/9

^{*}ATE = Acute Toxicity Estimate for purposes of classification



Toxicity for reproduction Negative. Not a specific reproductive toxin.

Mutagenicity Negative

Carcinogenicity Not to be expected.

NTP	IARC	ACGIH	OSHA	NIOSH
No.	No.	No.	No.	No.

Other information None

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Acute toxicity (estimated / calculated) LC50 (96 hour): >100 mg/l (fish)

EC50 (48 hour): >100 mg/l (Daphnia magna)

EC50 (72 hour): >100 mg/l (algae)

Long Term Toxicity No data.

Persistence and degradability Readily biodegradable.

Bioaccumulative potential No data.

Mobility in soilThe product has high mobility in soil.Results of PBT and vPvB assessmentNot classified as PBT or vPvB.

Other adverse effects None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods Disposal should be in accordance with local, state or national legislation.

Consult an accredited waste disposal contractor or the local authority for

advice.

Additional Information None known.

SECTION 14: TRANSPORT INFORMATION

	Land transport (U.S. DOT) *	Sea transport (IMDG)	Air transport (ICAO/IATA)
UN number	NA 1993	UN 1993	UN 1993
Proper Shipping Name	Combustible liquid, n.o.s. (Contains n-Butyl Alcohol, Methanol), RQ	Flammable liquid, n.o.s. (Contains n-Butyl Alcohol, Methanol)	Flammable liquid, n.o.s. (Contains n-Butyl Alcohol, Methanol)
Transport hazard class(es)	Comb. Liq.	3	3
Packing group Hazard label(s)	III Combustible Liquid	III Flammable Liquid	III Flammable Liquid
Environmental hazards	Yes *	No	No
Special precautions for user	None assigned	None assigned	None assigned

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: Not applicable

Date: February 26, 2016 Page: 7/9

^{*}Reclassified as a "combustible liquid" according to 49 CFR 173.120 (b)(2). Not regulated for ground shipments in the U.S. in non-bulk packaging (<119 gallons). Contains Reportable Quantity ("RQ") substance.



SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:

TSCA (Toxic Substance Control Act) - Inventory Status: All components listed or polymer exempt.

Designated Hazardous Substances and Reportable Quantities (40 CFR 302.4):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)
Methanol	67-56-1	< 20	5000

SARA 311/312 - Hazard Categories:

SARA 313 - Toxic Chemicals (40 CFR 372):

Chemical Name	CAS No.	Typical %wt.
Methanol	67-56-1	< 20
Butan-1-ol	71-36-3	< 40

SARA 302 - Extremely Hazardous Substances(40 CFR 355):

Chemical Name	CAS No.	Typical %wt.	RQ (Pounds)	TPQ (Pounds)
None				

Proposition 65 (California):

Chemical Name	CAS No.	Typical %wt.	Hazards
Methanol	67-56-1	< 20	Developmental

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1 - 16.

Date of preparation: February 26, 2016

Hazard Statement(s) Listed in: SECTION 3

H225: Highly flammable liquid and vapor.

H226: Flammable liquid and vapour.

H227: Combustible liquid.

H301: Toxic if swallowed.

H302: Harmful if swallowed.

H311: Toxic in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H226: Flammable liquid and vapour.

H331: Toxic if inhaled.

H335: May cause respiratory irritation.

H336: May cause drowsiness or dizziness.

H370: Causes damage to organs:

Additional Information: None.

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Rumble Bee Distribution LLC

Date: February 26, 2016 Page: 8/9



gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Rumble Bee Distribution LLC accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

Date: February 26, 2016 Page: 9/9