Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 05/28/2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name : CYCLE CARE NEWSPOKE CLEANER & BRIGHTENER

Product code : NEWSPOKE

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

CYCLE CARE FORMULAS 4777 S. FARM RD 205 ROGERSVILLE, 65742 T 800-728-7800

1.4. Emergency telephone number

Emergency number : 800-728-7800

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

 Skin Irrit. 2
 H315

 Eye Dam. 1
 H318

Full text of H-phrases: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H315 - Causes skin irritation

H318 - Causes serious eye damage

Precautionary statements (GHS-US) : P264 - Wash hands, forearms and face, clothing thoroughly after handling

P280 - Wear eye protection, protective clothing, protective gloves P302+P352 - If on skin: Wash with plenty of hands, forearms and face

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing P310 - Immediately call a doctor, a POISON CENTER

P321 - Specific treatment (see carbon dioxide (CO2), dry extinguishing powder, foam on this

label)

P332+P313 - If skin irritation occurs: Get medical advice/attention P362 - Take off contaminated clothing and wash before reuse

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

08/04/2016 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Name | Product identifier | % | Classification (GHS-US) |
|---------------------------|--------------------|-------|---|
| oxalic acid | (CAS No) 144-62-7 | 1 - 3 | Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Corr. 1A, H314 |
| 2-(2-butoxyethoxy)ethanol | (CAS No) 112-34-5 | 1 - 2 | Eye Irrit. 2A, H319 |

Full text of H-phrases: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation

occurs: Get medical advice/attention. Specific treatment (see ... on this label).

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapor.

Hygiene measures : Wash ... thoroughly after handling.

08/04/2016 EN (English US) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container

closed when not in use.

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| CYCLE CARE NEWSPOKE CLEANER & BRIGHTENER | |
|--|----------------|
| ACGIH | Not applicable |
| OSHA | Not applicable |

| 2-(2-butoxyethoxy)ethanol (112-34-5) | | |
|--------------------------------------|------------------|--------|
| ACGIH | ACGIH TWA (ppm) | 10 ppm |
| ACGIH | ACGIH STEL (ppm) | 10 ppm |
| OSHA Not applicable | | |

| oxalic acid (144-62-7) | | |
|------------------------|--------------------|---------|
| ACGIH | ACGIH TWA (mg/m³) | 1 mg/m³ |
| ACGIH | ACGIH STEL (mg/m³) | 2 mg/m³ |
| OSHA | Not applicable | |

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Skin and body protection : Wear suitable protective clothing.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Purple Liquid.
Color : Purple
Odor : Acid

Odor threshold : No data available

pH : 2-3

Relative evaporation rate (butyl acetate=1) : No data available
Melting point : NO DATA

Freezing point : No data available

Boiling point : $212 \,^{\circ}\text{F}$ Flash point : $> 200 \,^{\circ}\text{F}$

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : 140 @ 130 F
Relative vapor density at 20 °C : No data available

Relative density : 1

08/04/2016 EN (English US) 3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Solubility : Soluble in water.

Water: Solubility in water of component(s) of the mixture :

•: •: 10 g/100ml

Log Pow : No data available
Log Kow : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

| 2-(2-butoxyethoxy)ethanol (112-34-5) | |
|--------------------------------------|--|
| LD50 dermal rabbit | 2764 mg/kg body weight (Rabbit; Experimental value; Equivalent or similar to OECD 402) |
| ATE US (dermal) | 2764.000 mg/kg body weight |

| oxalic acid (144-62-7) | |
|------------------------|----------------------------|
| ATE US (oral) | 500.000 mg/kg body weight |
| ATE US (dermal) | 1100.000 mg/kg body weight |

Skin corrosion/irritation : Causes skin irritation.

pH: 2 - 3

Serious eye damage/irritation : Causes serious eye damage.

pH: 2 - 3

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : Not classified

08/04/2016 EN (English US) 4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met.

Symptoms/injuries after skin contact : Causes skin irritation.

Symptoms/injuries after eye contact : Causes serious eye damage.

SECTION 12: Ecological information

12.1. Toxicity

| 2-(2-butoxyethoxy)ethanol (112-34-5) | |
|--------------------------------------|--|
| LC50 fish 1 | 1300 mg/l (96 h; Lepomis macrochirus) |
| EC50 Daphnia 1 | 4950 mg/l (48 h; Daphnia magna) |
| Threshold limit algae 1 | > 100 mg/l (96 h; Desmodesmus subspicatus) |
| audia asid (444 00 7) | |

| oxalic acid (144-62-7) | |
|---|---|
| LC50 fish 1 | 34.1 mg/l (96 h; Pimephales promelas) |
| LC50 other aquatic organisms 1 | 100 - 1000 mg/l (96 h) |
| EC50 Daphnia 1 | 137 mg/l (48 h; Daphnia magna) |
| LC50 fish 2 | 160 mg/l (48 h; Leuciscus idus) |
| TLM fish 1 | 4000 mg/l (24 h; Lepomis macrochirus) |
| Threshold limit other aquatic organisms 1 | 100 - 1000,96 h |
| Threshold limit algae 1 | 80 mg/l (192 h; Microcystis aeruginosa) |
| Threshold limit algae 2 | 790 mg/l (168 h; Scenedesmus quadricauda) |

12.2. Persistence and degradability

| CYCLE CARE NEWSPOKE CLEANER & BRIGHTENER | | |
|--|--|--|
| Persistence and degradability | Not established. | |
| 2-(2-butoxyethoxy)ethanol (112-34-5) | | |
| Persistence and degradability | Readily biodegradable in water. Low potential for adsorption in soil. Photooxidation in the air. | |
| oxalic acid (144-62-7) | | |
| Persistence and degradability | Readily biodegradable in water. Readily biodegradable in water in anaerobic conditions. Photolysis in water. Biodegradable in the soil. Photolysis in the air. | |
| Biochemical oxygen demand (BOD) | 0.14 g O₂/g substance | |
| Chemical oxygen demand (COD) | 0.18 g O₂/g substance | |

0.18 g O₂/g substance

12.3. Bioaccumulative potential

ThOD

| CYCLE CARE NEWSPOKE CLEANER & BRIGHTENER | | |
|--|---|--|
| Bioaccumulative potential | Not established. | |
| 2-(2-butoxyethoxy)ethanol (112-34-5) | | |
| Log Pow | 1 (Test data; Equivalent or similar to OECD 107; 20 °C) | |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). | |
| oxalic acid (144-62-7) | | |
| Log Pow | -2.221.74 (Estimated value) | |
| Bioaccumulative potential | Bioaccumulation: not applicable. | |

12.4. Mobility in soil

| 2-(2-butoxyethoxy)ethanol (112-34-5) | |
|--------------------------------------|--------------------|
| Surface tension | 0.0069 N/m (20 °C) |

12.5. Other adverse effects

Effect on ozone layer

Effect on the global warming : No known ecological damage caused by this product.

Other information : Avoid release to the environment.

08/04/2016 EN (English US) 5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

15.1. US Federal regulations

CYCLE CARE NEWSPOKE CLEANER & BRIGHTENER

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

2-(2-butoxyethoxy)ethanol (112-34-5)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

oxalic acid (144-62-7)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

15.3. US State regulations

oxalic acid (144-62-7)

U.S. - New Jersey - Right to Know Hazardous Substance List

SECTION 16: Other information

Revision date : 05/28/2015 Other information : None.

08/04/2016 EN (English US) 6/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

| Acute toxicity (dermal) Category 4 |
|---|
| Acute toxicity (oral) Category 4 |
| Serious eye damage/eye irritation Category 1 |
| Serious eye damage/eye irritation Category 2A |
| Skin corrosion/irritation Category 1A |
| Skin corrosion/irritation Category 2 |
| Harmful if swallowed |
| Harmful in contact with skin |
| Causes severe skin burns and eye damage |
| Causes skin irritation |
| Causes serious eye damage |
| Causes serious eye irritation |
| |

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

08/04/2016 EN (English US) 7/7