Pro Circuit Products, Inc. 2771 Wardlow Rd Corona, CA 92882	2771 Wardlow Rd		DATE PREPARED: 2/3/2004		EMERGENCY TELEPHONE: (909)738-8050			
M	ATERIAL S	AFFTY	DATA SHE	=FT				
I. PRODUCT IDENTIFICATION							·····	
Product	3-3-3-		Chemical N	Name				
PC03 Pro Lube			Not Applicable					
Chemical Family			Formula CAS NUMBER					
Lubricating Compound								
HAZARDOUS MATERIAL INFORMATION SYSTEM CODES	CODES Health Code Fi		re Code			Activity Code Protect		
Least=0 Slight=1 Moderate=2 High=3 Extreme=4			e coue 1			oue r	Protection B	
	L				0		D	
II. HAZARDOUS COMPONENTS, INGR	EDIENTS:					·····		
INGREDIENT:		%	OSHA LIMIT (PEL)			.) ACGIH (TLV)		
Breakdown of this product may liberate the following hazar	dous components							
Not Applicable								
					<u> </u>			
Title III, Sec. 313 Status: Ingredient:			%			CAS #		
Not Applicable								
	·							
III. PHYSICAL AND CHEMICAL PROPE	RTIES							
Boiling Point		Vapor Pressure		Evaporation Rate				
Not Applicable		Not App	licable		Not Applicable			
Percent Volatile by Volume				Odor.	dor			
Not Applicable		Red Paste			Mild Petroleum			
Vapor Density			Specific Gravity H20=1 pH:		Solubility In Water			
Not Applicable		0.923		N. Ap.	<1			
IV. FIRE PROTECTION INFORMATION								
	nition Temperature			Flammable Limits % Volume in		Lower %	Upper %	
	Not Available		Not Availab	Not Available				
Extinguishing Media Carbon Dioxide, dry chemical, foam, or water fo	~							
Hazardous Decompostion Products	<i>.</i>							
Incomplete combustion can yield carbon monox	kide and various	: hydrocar	hone					
Fire and Explosion Hazard		- nyurooun						
No known explosion hazards. May produce toxi	c fumes at temp	eratures a	bove 930°F.					
						:		
HAZARDOUS POLYMERIZATION: Will Not Occu	ir X May Od	ccur	Stability:	Stable	X	Un	stable	
V. Health Information								
INHALATION								
Not Applicable								
EYE CONTACT								
Possible irritation with repeated or prolonged co	ontact.	·						
SKIN CONTACT	المتعادية والأورالا والم		الاربيا محمد المحي موالية	ning in the state	n staadt			
Possible irritation with repeated or prolonged co	ontact.		· · · · ·			•••		
Possible irritation, nausea, or diarrhea.				•				
	······································			internation in a				
REPORTED AS POTENTIAL CARCINOGEN OR C	ARCINOGEN:	A	merican Confe	erence of Gov	ernmental	l Industrial Hyg	ienists	
	(Not App	icabl	International	Agency Fo	or Research O	n Cancer	
	Г	OSHA		National Toxi	cology Pro	ogram		

3

Pro Circuit Products, Inc. 2771 Wardlow Rd	DATE PREPARED: 2/3/2004	EMERGENCY TELEPHONE: (909)738-8050
Corona, CA 92882		
MA ⁻	TERIAL SAFETY DATA	SHEET
I. FIRST-AID PROCEDURES		
INTACATION	ernali hore stati) andingi (eand c in Ci Via 24 Lair
EYE CONTACT Immediately flush eyes with plenty of water for at		
SKIN CONTACT STORE SOCIALISES Wash with soap and water thoroughly after handli		And an and a second
NGESTION Do NOT induce vomiting. If conscious, drink larg		
VII. EMPLOYEE PROTECTION		uAgenerija i na usvora stati o strata prveni je strata i sa se sloveno je stati sa se se se se se se se se se s Takon se
RESPIRATORY PROTECTION (UTILIZE NIOSH-APPROVED RESPIR Not required under normal conditions of use.	RATORS. REFER TO MFG PROTECTION F	ACTORS AND OSHA STANDARD 1910.134 AS A GUIDELINE)
SPECIAL PROTECTION INFORMATION:		
EYE Safety glasses to protect from unexpected splash	ies.	Maria da Maria da Anglia. Anglia
SKIN For prolonged contact, use nitrile or neoprene glo	oves.	
/ENTILATION		
Not Applicable.	a ganna biyayn ^a	
SPECIAL PROTECTION	4. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	
Not required under normal conditions of use.	en der sone	1
	agono (1999), gallo gallo de seu e secondarde Antonio (1999), gallo de secondario (1999) Antonio (1999), secondario (1999), secondario (1999), secondario (19	e ant un pa
STORAGE		REFERENCES FOR THE FORMER PROFESSION
Do not store with strong oxidizers. Avoid exposu	re to extreme temperatures.	
SHIPPING INFORMATION Not Applicable	$ \frac{1}{2} \frac{A_{\mu} 2}{2} + e^{A_{\mu}} e^{-\frac{1}{2} \left(1 - \frac{A_{\mu}}{2} + \frac{B_{\mu}}{2} \right)} + e^{-\frac{1}{2} \left(1 - \frac{B_{\mu}}{2} + \frac{B_{\mu}}{2} + \frac{B_{\mu}}{2} \right)} $	n alag big 1 gant tinan tin Tinan tinan tina
X. ENVIRONMENTAL PROTECTION		
SPILLS		
Pick up and place in container for disposal.	$(1, 3^{(1)}_{2}) = (1, 2^{(1)}_{2}) = (1, 2^{(1)}_{2})$	han an an an ar an
NASTE DISPOSAL Jtilize permitted industrial waste disposal site. Co	omply with environmental regu	lations. Burning is NOT recommended.
accidents have resulted from the misuse of EMPTIED DISCLAIMER: The information contained herein is ba impossible to anticipate the conditions under which out adequate for all individuals and situations. Each user and should comply with all environmental regulations.	applicable laws and regulations. E D containers (drums, pails, etc.). R ased upon data available to us and ur products may be used, we canr of this product should determine . Our ogal is to manufacture prod	MPTY drums should not be given to individuals. Serious
mproved daily as up-to-date information and research Please feel free to contact us for current information. 2756-effect actions and an article of the contact of action		
The latest MSDS will be furnished with the shipment	t. Last Upda	ted 2/3/2004

a ^{ri}

.....

PRO CIRCUIT RACING	DATE PREPA	RED	TELEPHONE:	
2771 WARDLOW ROAD / CORONA, CA 91720	1/22/97	7	909-738-80	
	ATERIAL SAE	ETY DATE SHEET		
I. PRODUCT IDENTIFICATION	····			
PRODUCT	CHEMICAL NAME			
PC-04 Assembly Lube	Not Applicab	le		
CHEMICAL FAMILY	FORMULA	FORMULA		
Petroleum Grease with Additives	Mixture			
NATIONAL FIRE PROTECTION ASSOCIATION HAZARD RATING COD		FIRECODE	REACTIVITY CODE	
LEAST=0 SLIGHT=1 MODERATE=2 HIGH=3 EXTREME=4	1	l	0	
II. HAZARDOUS COMPONENTS		·r	т	
INGREDIENT:	%	OSHA LIMIT	TLV	
Petroleum Oil	50-85	5 mg/M3 as oil mist	5 mg/M3 as c	
			<u>L</u>	
Title III, Sec. 313 Status		anna an ann an t-ann	· · · · · · · · · · · · · · · · · · ·	
INGREDIENT:		%	CAS #	
NONE				
III. PHYSICAL AND CHEMICAL PRO	DPERTIES			
BOILING POINT	VAPOR PRESSURE		EVAPORATION RATE	
Not Applicable		Not Applicable		
PERCENT VOLATILE BY VOLUME (%)		APPEARANCE		
Not Applicable VAPOR DENSITY (alr=1)		Smooth Red Paste		
Not Applicable	0.899			
IV. FIRE PROTECTION INFORMAT			Insoluble	
FLASH POINT AND METHOD AUTO IGNITION TEMPERATURE		VOLUME IN AIR	T	
365 F (185 C) Not Available	Not Available			
EXTINGUISHING MEDIA			4	
Carbon dioxide, dry chemical, or foam.	<u></u>			
HAZARDOUS DECOMPOSITION PRODUCTS				
Incomplete combustion can yield carbon m	ionoxide and vario	us nyarocarbons.		
For fire fighting, use self-contained breath	ning apparatus wit	th positive pressure.	May produce to	
fumes at temperatures above 930 F.	5 11	1 1	5 1	
HAZARDOUS POLYMERIZATION:	anara			
WILL NOT OCCUR MAY OCCUR	STABILITY	STABLE	UNSTABLE	
V. HEALTH INFORMATION				
INHALATION				
Not Applicable				
EYE CONTACT				
Possible irritation with repeated or prolog	nged contact.			
Possible irritation with repeated or prolon	and contact. If i	iniected under skin wi	th	
high pressure grease gun, necrosis could	• .	njeoleu under skin wi	.,,	
INGESTION				
Possible irritation, nausea, or diarrhea.				

e :

•	
HEALTH INFORMATION SECTION CONTINUED FROM PAGE 1 NO.	POLYMER400R
REPORTED AS POTENTIAL CARCINOGEN OR CARCINOGEN:	
Í X NOT APPLICABLE OSHA	INTERNATIONAL AGENCY FOR RESEARCH ON CANCER NATIONAL TOXICOLOGY PROGRAM
VI. FIRST-AID PROCEDURES	
INHALATION	
Not Applicable	
Flush eyes with water for a minimum of 15 minutes.	Consult a physician if irritation develops.
skin contact	If grease is injected under
	n grease is injected under
the skin, get medical attention as soon as possible.	
DO NOT induce vomiting. Get medical attention immed	liately.
VII. EMPLOYEE PROTECTION	
RESPIRATORY PROTECTION (UTILIZE NIOSH-APPROVED RESPIRATORS. REFER TO MANUFACTURES PROTE	CTION FACTORS AND OSHA STANDARD 1910.134 AS A GUIDELINE.)
Not required under normal conditions of use.	
SPECIAL PROTECTION INFORMATION:	
EYE	
If eye contact is probable, use safety glasses or chemic	cal goggles.
SKIN	· ·
For prolonged contact, use nitrile or neoprene gloves.	
VENTILATION	
Not Applicable	
SPECIAL PROTECTION	
Not Applicable	
VIII. SPECIAL PRECAUTIONS	
STORAGE	
Store in a cool, dry, place away from flame. Remove c	ontaminated clothing and launder before reuse.
OTHER PRECAUTIONS	
Not Applicable	
IX ENVIRONMENTAL PROTECTION	
Pick up and place in container for disposal.	
WASTE DISPOSAL	
Utilize permitted industrial waste disposal site. Comp	oly with environmental regulations.
Burning is NOT recommended.	
ADDITIONAL COMMENTS: Containers should be either reconditioned by CERTIFIED firm	s or properly disposed of by APPROVED firms.
Disposal of containers should be in accordance with applicable laws and regulations.	EMPTY drums should not be given to individuals.
Serious accidents have resulted from the misuse of EMPTIED containers (drums, palls DISCLAIMIER: The information contained herein is based upon data available to us a	nd reflects our best professional judgement. Since it
is impossible to anticipate the conditions under which our products may be used, we	e cannot guarantee that the recommendations will
be adequate for all Individuals and situations. Each user of this product should del purpose and should comply with all environmental regulations. Our goal is to manufa	termine the suitability of the product for his particular acture products with zero or minimum hazards. Our
purpose and should comply with all environmental regulations. Our goal is to manufa products are improved daily as up-to-date information and research is received from	our suppliers to use products with less or
no hazards. Please feel free to contact us for current information.	
The latest MSDS will be furnished with the shipment. 22-A	ug-95 MSDS/OCR/400RMS.WK4 Page 2 of 2