

# Safety Data Sheet

## Section 1. Identification

Product Identifier: **ProtectAll** 

Product Use: Cleaning agent/Cleaner

Manufacturer: **ProtectAll** 

> 7101 Jackson Road Ann Arbor, MI 48103

(734) 769-6000 **Emergency Numbers:** 

(800) 424-9300 (CHEMTREC - 24 hours)

## Section 2. Hazards Identification

Flammable aerosol - Category 2 Classification: Liquefied gas

Hazard Pictograms:

Signal Word:

Hazard Statements: Flammable aerosol. Contains gas under pressure; may explode if heated.

**Precautionary Statements:** 

Prevention Keep away from heat, sparks, open flames and hot surfaces. -No smoking. Do not spray

on an open flame or other ignition sources. Do not pierce or burn, even after use.

SDS No: 50112

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store in a Disposal

well-ventilated place.

# Section 3. Composition/Information on Ingredients

Mixture of the following ingredients with non hazardous additions.

Ingredient Name	Wt%	CAS Number
Distillates, petroleum, hydrotreated light	23.99	64742-47-8
2-(2-Hydroxy-5-t-octylphenyl) benzotriazole	0.19	3147-75-9
Petroleum gases, liquefied, sweetened	6.00	68476-86-8

## Section 4. First Aid Measures

#### First Aid Measures

Inhalation: If irritation develops, move to fresh air. Get medical attention if irritation persists. Skin Contact:

Wash off with soap and water. Wash clothes before reuse. Get medical attention if

irritation develops and persists.

Irrigate eyes for a minimum of 15 minutes. Get medical attention if irritation develops and Eye Contact:

persists.

Ingestion: Do not induce vomiting. Drink large amounts of water. Contact a physician.

Potential Acute Health Effects

Inhalation: May produce anesthetic effects and feeling of euphoria.

Skin Contact: Not a skin irritant.

Eye Contact: May cause eye irritation.

Ingestion: Propellant is an aspiration hazard.

Revision Date: October 4, 2016 Rev: 5 Page 1 of 5

#### Potential Over-Exposure Symptoms

Inhalation: Prolonged overexposure can cause rapid breathing, headache, dizziness, narcosis and

unconsciousness, depending on concentration and time of exposure.

Skin Contact: Not a skin irritant.

Eye Contact: May cause eye irritation.

Ingestion: Ingestion of propellant may cause pulmonary injury.

## Section 5. Fire-Fighting Measures

Extinguishing Media: Foam, water mist, dry chemical, or carbon dioxide

Specific hazards arising from the chemical: Contents under pressure. Pressurized container may explode

when exposed to heat or flame.

Hazardous thermal decomposition products: Carbon monoxide, oxides of nitrogen, and sulfur.

Special protective actions for fire-fighters:

None
Special protective equipment for fire-fighters:

None

### Section 6. Accidental Release Measures

## Personal precautions, protective equipment and emergency procedures

Wear appropriate personal clothing. Eliminate sources of ignition. Avoid inhalation and ventilate area. Absorb with non-combustible material and place in closed containers for disposal. Mop area with high pH cleaner and repeat with plenty of clean, cold water.

#### Method and materials for containment and clean up

Use spark-proof tools and explosion-proof equipment. Dispose of in accordance with federal, state, and local regulations. Avoid release into the environment.

## Section 7. Handling and Storage

Precautions for safe handling: Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is

missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Use only in well-ventilated

areas. Observe good industrial hygiene practices. Do not empty into drains.

Conditions for safe storage: Pressurized container. Protect from sunlight and do not expose to temperatures exceeding

50°C/122 °F. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which

may cause spark and become an ignition source.

## Section 8. Exposure Control/Personal Protection

Occupational Exposure Limits None

<u>Appropriate Engineering Controls</u> Maintain adequate ventilation.

Personal Protection

Respiratory Protection: Not required for properly ventilated areas

Skin Protection: Rubber gloves

Eye/Face Protection: Safety glasses or goggles

Hygiene Measures: Wash hands thoroughly after handling especially before eating, drinking and smoking.

Wash contaminated clothing before reuse. Have eyewash and safety shower available.

# Section 9. Physical and Chemical Properties

Physical State: Aerosol Upper/Lower Explosive Limits: 1.8 Vol %/9.5 Vol %

Color: White Vapor Pressure: 23 hPa (17 mmHg)

Revision Date: October 4, 2016 Rev: 5 Page 2 of 5

Odor: Citrus Vapor Density: Not available

Odor Threshold: Not available Specific Gravity: 0.93 - 0.95

pH (of liquid) 7 - 8 Bulk Density: Not applicable

Melting Point: Not applicable Solubility: Not soluble

Freezing Point: Not available Partition coefficient

n-octanol/water: Not available

Boiling Point: Not applicable, aerosol

Flash Point: -156°F (Estimated) Auto-ignition Temperature: Not available

Evaporation Rate: Not applicable Decomposition Temperature: Not available

Flammability: Not applicable Viscosity (cps): 2500 - 4000

Section 10. Stability and Reactivity

Reactivity: No specific test data available on finished product.

Chemical Stability: The product is stable.

Possibility of Hazardous Reactions: Under normal conditions of storage and use hazardous reactions

will not occur.

Conditions to Avoid: Elevated temperatures. Heat and direct sunlight.

Incompatible Materials: Oxidizing agents.

Hazardous Decomposition Products: Thermal decomposition may produce carbon monoxide, oxides or

nitrogen and sulfur.

**Section 11. Toxicological Information** 

Information on the likely routes of exposure: Dermal contact. Eye contact. Inhalation. Ingestion.

Potential Acute Health Effects

Inhalation: May produce anesthetic effects and feeling of euphoria.

Skin Contact: Not a skin irritant.

Eye Contact: May cause eye irritation.

Ingestion: Propellant is an aspiration hazard.

Symptoms Related to the Physical, Chemical and Toxicological Characteristics

Inhalation: Prolonged overexposure can cause rapid breathing, headache, dizziness, narcosis and

Skin Contact: Not a skin irritant.

Eye Contact: May cause eye irritation.

Ingestion: Ingestion of propellant may cause pulmonary injury.

Potential Chronic Health Effects

Short Term Exposure

Potential immediate effects: Not available

Long Term Exposure

Potential delayed effects: Not available

General: Not available

Carcinogenicity: Ingredients not listed by ACGIH, IARC, NIOSH, NTP, or OSHA.

Mutagenicity: No known significant effects or critical hazards.

Teratogenicity: No known significant effects or critical hazards.

Revision Date: October 4, 2016 Rev: 5 Page 3 of 5

Developmental Effects: Not available Fertility Effects: Not available

## Information on Toxicological Effects

**Acute Toxicity** 

Components:

Distillates, petroleum, hydrotreated light	LD50 Oral LD50 Dermal LC50 Inhalation	>5000 mg/kg (rat) 2000 - 4000 mg/kg (rabbit) >6.8 mg/l (rat) (4h)
2-(2-Hydroxy-5-t-octylphenyl) benzotriazole	LD50 Oral LD50 Dermal LC50 Inhalation	>10000 mg/kg (rat) >5000 mg/kg (rabbit) >5 mg/l (Dust/Mist) (4h)
Petroleum gases, liquefied, sweetened		Not available

Respiratory or skin sensitization

Respiratory sensitization No known significant effects or critical hazards.

Skin sensitization No known significant effects or critical hazards.

<u>Carcinogenicity:</u> Not recognized as carcinogenic by Research Agencies (ACGIH, IARC, NTP, OSHA).

Mutagenicity: Not data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Reproductive Toxicity: No data available to indicate product or any components present at greater than 0.1%

present reproductive hazards.

Specific target organ toxicity -

single exposure: Not classified as such

<u>Aspiration hazard</u> Propellant is an aspiration hazard.

Acute toxicity estimates (ATE)

Route ATE value
Oral 18864 mg/kg

## Section 12. Ecological Information

<u>Toxicity</u> The product contains a material that is harmful to the environment.

Components

Distillates, petroleum, hydrotreated light		Not available	
2-(2-Hydroxy-5-t-octylphenyl)	EC50 Algae	>100 mg/l (72h)	
benzotriazole	EC50 Fish	>100 mg/l (96h)	
Petroleum gases, liquefied,		Not available	
sweetened			

Persistence and Degradability: Most ingredients are biodegradable.

Bioaccumulative Potential: Low bioaccumulation expected

Mobility in Soil: Not available

Other Adverse Effects: No known significant effects or critical hazards.

## Section 13. Disposal Considerations

Disposal Methods: The generation of waste should be avoided or minimized wherever possible. Avoid dispersal

of spilled material and runoff and contact with soil, waterways, drains and sewers. Waste disposal should be in accordance with existing federal, state, and local regulations. Do not

reuse empty container.

Revision Date: October 4, 2016 Rev: 5 Page 4 of 5

Section 14. Transport Information

UN Number: UN1950 Hazard Class: 2.1

UN Proper Shipping Name: Aerosol, flammable Packing Group: NA

(Limited Quantity)

Regulated under all modes of transportation as UN1950 in limited quantities. Consult the individual regulations, IATA via air,

IMDG via water and TDG for Canadian shipping information. NOT PACKAGED FOR AIR TRANSPORT.

Environmental Hazard: No

Section 15. Regulatory Information

SARA 311/312: Fire hazard, pressure hazard and acute health hazard

SARA Title III Section 313 EHS: None SARA Title III Section 313 Toxic: None

Section 16. Other Information

Date of Issue: 4-Oct-16 Prepared by: Janis Thomson

Date of previous issue: 12-May-16 MSDS Number: 50112

Version: 5

Revision Date: October 4, 2016 Rev: 5 Page 5 of 5