

MOT49 MOT48

Material Safety Data Sheet

5100 ESTER 15W-50

3082 Version nr: 1.01 Revised: 20/06/2003 Supersedes: 26/05/2003

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product Information

Commercial Product Name 5100 ESTER 15W-50

Product code 3082

Use of the Substance/Preparation

4 Stroke engine lubricant

Manufacturer, importer, supplier

Supplier MOTUL - Regulation Departement

Zone Industrielle - Chemin du Corps de Garde

77360 VAIRES SUR MARNE - FRANCE

33.1.64.72.86.23 Telephone 33.1.64.72.86.28 Telefax

EMERGENCY TELEPHONE NUMBER ORFILA: 33.1.45.42.59.59 Health and Safety Department Responsible Department

2. COMPOSITION/INFORMATION ON INGREDIENTS

Identification of the preparation

Hazardous components Weight %

Polyolefine succinimide polyamine -Polyol 1,6 % conf conf

271-877-7 Calcium Alkaryl sulfonate < 1 %

Xi,R43,R53

Zinc alkydithiophosphate 1 % 272-028-3

Xi,R41,N,R51/53

3. HAZARDS IDENTIFICATION

EC Label

The product contains no substances known to be hazardous to

health in concentrations which need to be taken into account.

Specific hazards none under normal use

No hazards resulting from material as supplied. - physico-chemical properties

- properties affecting health None known

Ecological injuries are not known or expected under normal use. - environmental properties

4. FIRST AID MEASURES

In the case of accident or if you feel unwell, seek medical advice General advice

immediately (show the label where possible).

Move to fresh air. - Inhalation

If symptoms persist, call a physician.

Rinse immediately with plenty of water, also under the eyelids. - Eye contact

Consult a physician if necessary

Take off all contaminated clothing immediately. - Skin contact

Wash off immediately with soap and plenty of water.

Clean mouth with water and drink afterwards plenty of water. - Ingestion

MOTUL 119, bd Félix Faure 93303 Aubervilliers Cedex France

Pollux6®© 1/5 Page:



5100 ESTER 15W-50

3082 Version nr : 1.01 Revised: 20/06/2003

Supersedes: 26/05/2003

Do not induce vomiting without medical advice.

5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media dry powder

foam

carbon dioxide (CO2)

- Extinguishing media which must not be

used for safety reasons

high volume water jet

- Specific hazards

Incomplete combustion produces toxic gases, such as CO, CO2, various forms of hydrocarbons, aldehydes etc., and soots. Inhalation

is extremely dangérous.

- Specific methods

In the event of fire, wear self-contained breathing apparatus.

Dispose of promptly. - Under fire conditions:

6. ACCIDENTAL RELEASE MEASURES

Depending on the risk of exposure, wear gloves, goggles, and Personal precautions

protective clothing.

Choose body protection according to the amount and concentration

of the dangerous substance at the work place.

Environmental precautions Do not let product enter drains.

Local authorities should be advised if significant spillages cannot be

contained.

For environmental protection remove and wash all contaminated

protective equipment before re-use.

Soak up with inert absorbent material (e.g. sand, silica gel, acid Methods for cleaning up

binder, universal binder, sawdust).

Contaminated surfaces will be extremely slippery.

Prevent product from entering drains. Use personal protective equipment. Shovel into suitable container for disposal.

7. HANDLING AND STORAGE

- Safe handling advice

Handling

Technical measures/Precautions

Provide sufficient air exchange and/or exhaust in work rooms.

Avoid contact with skin and eyes.

Storage

Use only receptacles, joints, pipes, etc, which are resistant to Technical measures/Storage conditions

hydrocarbons.

Keep containers tightly closed in a dry, cool and well-ventilated

place.

Do not let product enter drains.

Keep at temperatures between 5 and 40 °C.

Keep away from food, drink and animal feeding stuffs.

Keep out of reach of children.

Do not smoke.

MOTUL

119, bd Félix Faure

93303 Aubervilliers Cedex

France

Page:

2/5



5100 ESTER 15W-50

3082

Version nr : 1.01

Revised: 20/06/2003

Supersedes: 26/05/2003

Store in original container. Keep in a bunded area.

- Incompatible products

Incompatible with oxidising agents.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION





Personal protective equipment

Respiratory protection Hand protection

Eye protection

Skin and body protection

Hygiene measures

Breathing apparatus needed only when aerosol or mist is formed.

protective gloves

nitrile rubber

safety glasses

long sleeved clothing

When using do not eat or drink.

Avoid contact with the skin and the eyes. Take off all contaminated clothing immediately.

Handle in accordance with good industrial hygiene and safety

practice.

liquid

9. PHYSICAL AND CHEMICAL PROPERTIES

Form

Colour pH

uri Elach ac

Viscosity

Flash point

open cup

Water solubility

Solubility in other solvents

228 °C ASTM D 92 insoluble

nsoluble

light yellow

Not applicable

soluble

Soluble in hydrocarbons

132 mm²/s 40°C ASTM D 445 not applicable

Explosion limits not applicate not applicate

Specific gravity 878 kg/m3 15°C NF T 60-101

10. STABILITY AND REACTIVITY

Stability

Materials to avoid

Stable at normal conditions

Incompatible with oxidising agents.

Hazardous decomposition products Incomplete combustion p

Incomplete combustion produces toxic gases, such as CO, CO2, various forms of hydrocarbons, aldehydes etc., and soots. Inhalation

is extremely dangerous.

11. TOXICOLOGICAL INFORMATION

MOTUL

119, bd Félix Faure

93303 Aubervilliers Cedex

France

Page:

3/5



	5100 ESTER 15W-50
Version nr :	1.01 Revised : 20/06/2003
	Supersedes : 26/05/2003
Local effects	The following toxicological data shown are those obtained from tes on products of similar composition in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 1994.
Acute toxicity	Health injuries are not known or expected under normal use.
Ingestion	Weakly toxic
Eye contact	Mild eye irritation
Skin contact	Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin.
Inhalation	Inhalation of vapours may cause irritation of the respiratory system in very susceptible persons.
Chronic toxicity	Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.
2. ECOLOGICAL INFORMATION	
Mobility	Soil: In consideration of its physical and chemical characteristics, the produit has only slight mobility in the soil. Water: Insoluble, the product spreads over the surface of the water. Do not flush into surface water or sanitary sewer system.
Aquatic toxicity Ecotoxicity effects	no data available
3. DISPOSAL CONSIDERATIONS	
	to Condition that is a second
Waste from residues / unused produc	 Send to an approved Waste Collector Collect all waste in suitable and labelled containers and dispose of ir compliance with licence from HMIP issued under sections 6 & 7 of the Radioactive Substances Act 1960. Do not flush into surface water or sanitary sewer system.
Contaminated packaging	Where possible recycling is preferred to disposal or incineration. The user's attention is drawn to the possible existence of local regulations regarding disposal. Send to an approved Waste Collector
NOTE	In accordance with local and national regulations. Avis relatif à la nomenclature ds déchets du 11/11
4. TRANSPORT INFORMATION	
Land transport	
Class	not regulated
<u>Sea transport</u> Class	and an evilate d
Air transport	not regulated
Class	not regulated
5. REGULATORY INFORMATION	

MOTUL

119, bd Félix Faure

93303 Aubervilliers Cedex

France

Page :

4/5



5100 ESTER 15W-50

3082

Version nr : 1.01

Revised: 20/06/2003 Supersedes: 26/05/2003

EC Label

The product contains no substances classified as hazardous to health in concentrations which should be taken into account according to EC directive.

Special regulations on certain preparations

This product contains - Calcium Alkaryl sulfonate

May produce an allergic reaction.

France

This safety data sheet complies with the recommendations of European Community and French regulations. Contact your local branch for adaptation to spécific national requirements.

15 - 36

16. OTHER INFORMATION

16. Other information

This dossier supplements the technical notifications for use, but does not replace them. The information which it contains is based on our knowledge relating to the product in question on the date indicated. The information is given in good faith. The user's attention is also drawn to possible risks incurred if a product is employed for uses other than those for which it was designed. The information dossier does not, under any circumstances, discharge the user from the obligation of being aware of , and of applying , all the texts which govern his sphere of activity. He shall be solely responsible for taking the precautions associated with the use which he makes of the product.All the statutory provisions referred to are intended simply to assist the recipient in fulfilling the obligations encumbent upon him. This enumeration must not be considered to be exhaustive. The recipient must ensure that no obligations are encumbent upon him, as a result of texts other than those cited, relating to the holding and handling of the product, for which he alone is responsible.

Text of R phrases mentioned in Section 2 R41 - Risk of serious damage to eyes.

R43 - May cause sensitization by skin contact.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

This data sheet conforms to standards defined by directives 2001/58/CE Data sheet prepared by MOTUL.

IMPORTANT: The information in this Data Sheet applies only to the products designated herein and produced or supplied by us. It is based on our experience and on the data available to us at the time of its issue and is accurate to the best of our knowledge.

MOTUL

119, bd Félix Faure

93303 Aubervilliers Cedex

France

Page:

5/5